

Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.

BURTON'S HILL TOP NURSERIES

J. Howard Burton

CASSTOWN, OHIO

PHONE — TROY, OHIO 28508



Berberis thunbergi nana
(Plant Patent No. 189—See page 36)

OCTOBER 15, 1941

WHOLESALE LIST

for the Nursery Trade

Lining Out Shrubs

Lining Out Evergreens

Lining Out Shade Trees

Finished: Shrubs, Vines,

**Shade Trees, Fruit Trees
and Small Fruits**

Members of

American Association of Nurserymen

Ohio Nurserymen's Association

Michigan Nurserymen's Association

Indiana Nurserymen's Association

All orders are packed to arrive in first class condition and we solicit your business on our ability to serve you honestly and quickly with good stock.

We ship by B. & O., N. Y. C., Pennsylvania and D. T. & I. railways, by Truck Line Freight or Railway Express.

TERMS:—Sixty days net to parties of approved credit established in advance of shipment. Cash with order 3%; 2% for payment within ten days of invoice, 1% 30 days. C. O. D. orders must be accompanied by $\frac{1}{4}$ cash deposit. Boxing and bailing are charged for at cost. When cash accompanies order boxing will be billed to those of established credit, otherwise boxing charges will be sent as C. O. D., with shipment. We assure you that this additional charge will be reasonable and at actual cost. 5 or more at 10 rate; 25 or more at 100 rate. Less than 5 will be charged 25% higher than 10 rate. Any possible claims for rejection or deficiency must be made within ten days after arrival of stock. All shipments travel at cost and risk of the purchaser except when otherwise agreed. (See boxing table on page 35.)

INDEX

| | Pages |
|----------------------------------|----------|
| New Globe Barberry | 36 |
| (Plant Patent No. 189) | |
| Berry Plants | 34 |
| Deciduous Grafts | 10 |
| Evergreen Grafts | 11 |
| Evergreens In Large Sizes | 28-33 |
| Flowering Shrubs | 13-22 |
| Fruit Trees & Small Fruits | 33-34-35 |
| Hedge Plants | 22 |
| Lining Out Shrubs | 3-8 |
| Lining Out Evergreens | 11-12-13 |
| Lining Out Trees | 9-10-11 |
| Lining Out Vines | 8 |
| Perennials | 35 |
| Schedule of Boxing Charge | 35 |
| Shade & Ornamental Trees | 23-28 |
| Terms & Ry. Connections | 2 |
| Vines | 22-23 |



LINING OUT SHRUBS

Our lining out shrubs are mostly cutting grown and transplanted once in rows in the field where they have grown one or two years except those varieties customarily grown from hard wood cuttings. All seedlings, whether one year or two years of age, are specified as "S". Our pot grown shrubs are grown one full year in the frames out doors or are wintered over in a cool greenhouse. Our plants are of good size but not thin from over fertilization. They give excellent stands in the field and make new friends for us and keep the old ones.

| | Per C | Per M |
|-----------------------------|-------|-------|
| Abelia grandiflora, | | |
| 6 to 12 in. | 7.50 | 60.00 |
| Almonds, pink flowering, | | |
| Pot grown, | 6.00 | 55.00 |
| 12 to 18 in. T, 1 yr., | 10.00 | 75.00 |
| 18 to 24 in. T, 2 yr., | 15.00 | |
| Aralia pentaphylla, | | |
| 4 to 6 in. | 3.50 | 30.00 |
| 6 to 8 in. | 4.00 | 35.00 |
| Aronia brilliantissima, | | |
| 15 to 20 in. | 5.50 | 50.00 |
| Barberry julianae, | | |
| 2 yr. S, | 10.00 | |
| Barberry minor, | | |
| 2 yr. Pot grown, | 4.50 | 40.00 |
| Barberry, red, | | |
| Pot grown, | 5.00 | 45.00 |
| 6 to 12 in. | 3.00 | 25.00 |
| 12 to 18 in. | 4.50 | 40.00 |
| Barberry thunbergi, | | |
| 8 to 12 in. S, 2 yr., | | |
| (\$100.00 Per 10M), | 2.00 | 15.00 |
| 12 to 18 in. S, 2 yr., | 3.00 | 20.00 |
| 8 to 12 in. T, | 3.00 | 25.00 |
| Benzoin aestivale, | | |
| 12 to 18 in. | 3.00 | 25.00 |
| 18 to 24 in. | 4.00 | 35.00 |
| 2 to 3 ft. | 5.00 | 45.00 |

FOR SPRING DELIVERY

| | | |
|-------------------------|------|-------|
| Buddleia charming, | | |
| Pot grown, | 7.50 | 70.00 |
| Buddleia Ile de France, | | |
| Pot grown, | 5.50 | 50.00 |
| Buddleia magnifica, | | |
| Pot grown, | 5.00 | 45.00 |
| Callicarpa purpurea, | | |
| Pot grown, | 4.50 | 40.00 |
| 8 to 12 in. | 5.00 | 45.00 |
| 12 to 18 in. | 6.00 | 50.00 |
| Calycanthus floridus, | | |
| 6 to 12 in. S, | 3.00 | 25.00 |

| | Per C | Per M |
|--|-------|-------|
| <i>Cercis canadensis</i> , 18 to 24 in. | 3.00 | 25.00 |
| <i>Chionanthus virginica</i> , 6 to 8 in. | 6.00 | |
| <i>Cornus amomum</i> , 8 to 12 in. | 2.25 | 20.00 |
| 12 to 18 in. | 2.50 | 22.50 |
| <i>Cornus florida</i> , 12 to 18 in. | 5.00 | 45.00 |
| <i>Cornus florida rubra</i> , 1 yr. grafts from pots, | 35.00 | |
| 6 to 12 in. field grown from buds, .. | 25.00 | |
| 12 to 18 in. field grown from buds, .. | 35.00 | |
| <i>Cornus lutea</i> , 8 to 12 in. | 3.00 | |
| <i>Cornus mascula</i> , 8 to 12 in. T, | 5.50 | 50.00 |
| <i>Cornus siberica</i> , 8 to 12 in. | 2.00 | 15.00 |
| 12 to 18 in. | 2.50 | 22.50 |
| 18 to 24 in. | 3.00 | 27.50 |
| <i>Corylus avellana</i> , 12 to 18 in. | 5.00 | |
| <i>Corylus avellana atropurpurea</i> , 8 to 12 in. grafts, | 25.00 | |
| 2 yr. grafts, large pots, | 35.00 | |
| <i>Cotoneaster adpressa</i> , 6 to 12 in. T, | 8.00 | 75.00 |
| <i>Cotoneaster divaricata</i> , 6 to 12 in. S, | 4.50 | 40.00 |
| 12 to 18 in. T, | 7.50 | 70.00 |
| <i>Cotoneaster foveolata</i> , Pot grown, | 5.00 | |
| 6 to 12 in. S | 5.00 | 45.00 |
| <i>Cotoneaster purpusilla</i> , 6 to 12 in. T | 8.00 | 75.00 |
| <i>Cydonia japonica</i> , 8 to 12 in. | 2.50 | 20.00 |
| 12 to 18 in. | 3.00 | 25.00 |
| 18 to 24 in. | 4.00 | 35.00 |
| <i>Daphne cneorum</i> , 6 to 10 in. T, (\$650.00 per 10M) .. | 7.50 | 70.00 |
| <i>Deutzia gracilis</i> , 6 to 8 in. | 5.00 | 45.00 |
| 10 to 15 in. | 6.00 | 55.00 |
| <i>Deutzia lemoinei</i> , 6 to 8 in. | 4.50 | 40.00 |
| 8 to 12 in. | 5.00 | 45.00 |
| <i>Elaeagnus angustifolia</i> , 12 to 18 in. S | 2.50 | 20.00 |
| <i>Elaeagnus argentea</i> , 8 to 12 in. | 4.00 | |
| Elder, golden, (good color), 12 to 18 in. | 4.50 | 40.00 |
| <i>Euonymus alatus</i> , 4 to 6 in. T, 1 yr., | 5.00 | 40.00 |
| 6 to 8 in. T, 1 yr., | 6.00 | 50.00 |
| 8 to 10 in. T, 1 yr., | 7.50 | 70.00 |
| 6 to 8 in. T, 2 yr., | 7.00 | 60.00 |
| 8 to 12 in. T, 2 yr., | 8.00 | 75.00 |
| 12 to 15 in. T, 2 yr., | 10.00 | 90.00 |
| <i>Euonymus alatus compacta</i> , Pot grown, | 5.50 | 50.00 |
| 4 to 6 in. T, 1 yr., | 6.00 | 50.00 |
| 6 to 8 in. T, 1 yr., | 8.00 | 75.00 |
| 6 to 8 in. T, 2 yr., | 10.00 | |
| <i>Euonymus europaeus</i> , 6 to 8 in. S | 3.00 | |
| 8 to 12 in. S | 4.00 | |
| 12 to 18 in. S | 5.00 | |
| <i>Euonymus patens</i> , Pot grown, | 4.50 | 40.00 |

| | Per C | Per M |
|---|-------|--------|
| <i>Euonymus patens</i> (Cont.) | | |
| 4 to 6 in. 1 yr.,..... | 4.50 | 40.00 |
| 6 to 8 in. 1 yr.,..... | 6.00 | 50.00 |
| 8 to 12 in. 1 yr.,..... | 7.00 | 65.00 |
| 12 to 15 in. T 3 yr.,..... | 25.00 | 200.00 |
| 15 to 18 in. T 3 yr.,..... | 35.00 | 300.00 |
| <i>Euonymus radicans carrierei</i> , | | |
| 6 to 8 in. T..... | 5.00 | 45.00 |
| 8 to 12 in. T..... | 6.00 | 55.00 |
| <i>Euonymus radicans kewensis</i> , | | |
| Pot grown,..... | 8.00 | |
| <i>Exochorda grandiflora</i> , | | |
| (These grow 100%), | | |
| Pot grown,..... | 4.00 | 35.00 |
| <i>Fontanesia fortunei</i> , | | |
| 18 to 24 in. T..... | 5.00 | |
| <i>Forsythia dwarf</i> , | | |
| Pot grown,..... | 4.50 | 40.00 |
| 6 to 8 in. | 5.50 | 50.00 |
| 8 to 12 in. | 6.00 | 55.00 |
| 12 to 15 in. | 7.00 | 65.00 |
| <i>Forsythia intermedia</i> , | | |
| 8 to 12 in. | 2.50 | 20.00 |
| 12 to 18 in. | 2.75 | 22.50 |
| <i>Forsythia intermedia spectabilis</i> , | | |
| 8 to 12 in. | 2.50 | 20.00 |
| 12 to 18 in. | 3.50 | 30.00 |
| <i>Forsythia primulina</i> , | | |
| 12 to 18 in. | 6.00 | 55.00 |
| 18 to 24 in. | 7.00 | 60.00 |
| <i>Forsythia suspensa</i> , | | |
| 12 to 18 in. T..... | 3.50 | 30.00 |
| 18 to 24 in. T..... | 4.50 | 40.00 |
| <i>Hamamelis mollis</i> , | | |
| 2 yr. grafts from 3'' pots,..... | 50.00 | |
| <i>Hydrangea P. G.</i> , | | |
| 8 to 12 in. T..... | 5.50 | 50.00 |
| 12 to 18 in. layers,..... | 4.50 | 40.00 |
| <i>Hydrangea tardiva</i> , | | |
| 8 to 12 in. T..... | 6.00 | 55.00 |
| <i>Hypericum prolificum</i> , | | |
| 12 to 18 in. | 4.50 | 40.00 |
| <i>Kerria japonica flora plena</i> , | | |
| Pot grown,..... | 6.50 | 60.00 |
| <i>Kerria japonica</i> , single, | | |
| Pot grown,..... | 4.50 | 40.00 |
| Pot grown, 2 yr.,..... | 5.00 | 45.00 |
| 6 to 8 in. | 3.50 | 30.00 |
| 8 to 12 in. | 5.00 | 45.00 |
| <i>Kolkwitzia amabilis</i> , | | |
| Pot grown,..... | 5.00 | 45.00 |
| Pot grown, 2 yr.,..... | 5.50 | |
| Lilac, French, | | |
| Desfontaines, Michel Buchner, | | |
| Pink, Pres. Grevy, Rothomagen- | | |
| sis, Vauban, Volcan, Waldeck | | |
| Rousseau, White. | | |
| Grafts,..... | 15.00 | |
| Lilac, persian, | | |
| 8 to 12 in. | 4.00 | 35.00 |
| 12 to 18 in. | 5.00 | 45.00 |
| 18 to 24 in. | 5.50 | 50.00 |
| Lilac, villosa, (Uniform dark purple | | |
| type grown from cuttings entirely), | | |
| 2 yr., | | |
| 6 to 8 in. T..... | 2.00 | 15.00 |
| 8 to 12 in. T..... | 3.00 | 30.00 |
| 12 to 18 in. T..... | 4.50 | 40.00 |
| 18 to 24 in. T..... | 6.00 | 55.00 |
| <i>Lonicera fragrantissima</i> , | | |
| 12 to 18 in. | 2.75 | 25.00 |

| | | |
|---------------------------------|-------|-------|
| Lonicera maacki, | Per C | Per M |
| Pot grown,----- | 4.00 | 35.00 |
| Lonicera morrowi, | | |
| 12 to 18 in.----- | 3.00 | 25.00 |
| 18 to 24 in.----- | 3.50 | 30.00 |
| Lonicera ruprechtiana, | | |
| 18 to 24 in.----- | 3.50 | 30.00 |
| Lonicera syringantha, | | |
| 12 to 18 in.----- | 4.00 | 35.00 |
| 18 to 24 in.----- | 5.00 | 45.00 |
| Lonicera tatarica pink, | | |
| 12 to 18 in.----- | 4.00 | 35.00 |
| Lonicera zabeli, | | |
| 12 to 18 in.----- | 4.50 | 40.00 |
| Magnolia glauca, | | |
| 6 to 12 in. T 1 yr.,----- | 7.00 | 65.00 |
| Magnolia soulangeana, | | |
| 3" pots,----- | 50.00 | |
| 12 to 18 in.----- | 30.00 | |
| Magnolia stellata, | | |
| 12 to 18 in.----- | 40.00 | |
| Myrica carolinensis, | | |
| 3 to 6 in. S----- | 4.00 | 35.00 |
| 6 to 12 in. T----- | 7.00 | 60.00 |
| Philadelphus aurea, | | |
| Pot grown,----- | 7.50 | |
| Philadelphus coronarius, | | |
| 12 to 18 in.----- | 3.00 | 25.00 |
| Philadelphus virginal, | | |
| Pot grown,----- | 5.00 | 45.00 |
| 6 to 12 in.----- | 5.50 | 50.00 |
| 12 to 18 in.----- | 7.00 | 65.00 |
| Physocarpus monogynus, | | |
| 8 to 12 in.----- | 4.00 | 35.00 |
| 12 to 18 in.----- | 4.50 | 40.00 |
| 12 to 18 in. branched,----- | 5.00 | 45.00 |
| 18 to 24 in. branched,----- | 6.00 | 50.00 |
| Physocarpus opulifolius aureus, | | |
| 12 to 18 in.----- | 3.50 | 30.00 |
| 18 to 24 in.----- | 4.50 | 40.00 |

| | | |
|----------------------------|------|-------|
| Pachysandra terminalis, | | |
| Pot grown,----- | 6.00 | 55.00 |
| Strong transplants, 1 yr., | | |
| (\$350.00 Per 10M)----- | 4.50 | 40.00 |
| Strong transplants, 2 yr., | | |
| (\$400.00 Per 10M)----- | 5.50 | 45.00 |

| | | |
|------------------------------------|------|-------|
| Privet, amoor river north, | | |
| 8 to 12 in.----- | 1.50 | 12.50 |
| 12 to 18 in. (\$150.00 per 10M),-- | 2.00 | 17.50 |
| Privet, california, | | |
| 8 to 12 in.----- | 1.50 | 10.00 |
| 12 to 18 in.----- | 2.00 | 12.50 |
| Privet, ibolium, | | |
| 8 to 12 in. not T----- | | 15.00 |
| 12 to 18 in. 2 yr.,----- | 2.50 | 20.00 |

| | | |
|---------------------------------|------|-------|
| Privet, Ibota golden, | | |
| (Ligustrum vicary), | | |
| This is a hardy, dwarf, bright | | |
| golden hybrid of Ibota privet | | |
| with glossy foliage and compact | | |
| habit. It is very worth while. | | |
| Pot grown, 1 yr.,----- | 5.00 | 40.00 |
| Pot grown, 2 yr.,----- | 6.00 | 50.00 |

| | | |
|--------------------------------------|------|-------|
| Privet, regel, (true horizontal type | | |
| from cuttings), | | |
| 6 to 8 in.----- | 3.50 | 30.00 |
| 8 to 12 in.----- | 4.50 | 40.00 |
| 12 to 18 in.----- | 5.50 | 50.00 |

| | Per C | Per M |
|--|-------|-------|
| <i>Prunus pumila</i> , | | |
| 12 to 18 in..... | 3.00 | |
| 18 to 24 in..... | 4.00 | |
| 2 to 3 ft. branched,..... | 5.00 | |
| <i>Prunus tomentosum</i> , | | |
| 8 to 12 in. T..... | 3.00 | |
| 12 to 18 in. T..... | 4.00 | |
| <i>Ptelea trifoliata</i> , | | |
| 12 to 18 in..... | 2.50 | 20.00 |
| 18 to 24 in..... | 3.50 | 30.00 |
| <i>Pyracantha pauciflora</i> , | | |
| A spreading, rounded type, grown by cuttings from plants which berried heavily. Hardest and most dependable evergreen of all the <i>Pyracanthas</i> , never having been winter injured here. | | |
| Pot grown, 1 yr.,..... | 6.00 | 50.00 |
| Pot grown, 2 yr.,..... | 7.50 | 65.00 |
| Large Pots,..... | 15.00 | |
| <i>Rhodotypos kerrioides</i> , | | |
| 12 to 18 in..... | 4.25 | 40.00 |
| <i>Rhus aromatica</i> , | | |
| 12 to 18 in..... | 3.50 | |
| 18 to 24 in..... | 4.50 | |
| <i>Rosa hugonis</i> , | | |
| Transplants,..... | 7.50 | 70.00 |
| <i>Rosa rouletti</i> , | | |
| 2" pots,..... | 7.50 | 70.00 |
| Roses, climbing, | | |
| American Beauty, Dr. Huey, Excelsa, Dr. Van Fleet, Gardinia, Hiawatha, Pauls Scarlet, Silver Moon. | | |
| 2" pots,..... | 6.00 | 55.00 |
| <i>Spiraea anthony watereri</i> , | | |
| 4 to 6 in..... | 5.00 | 45.00 |
| 6 to 8 in..... | 6.00 | 55.00 |
| 10 to 15 in..... | 6.50 | 60.00 |
| <i>Spiraea arguta</i> , | | |
| 8 to 12 in..... | 3.50 | 30.00 |
| <i>Spiraea billiardi rubra</i> , | | |
| 8 to 12 in..... | 2.50 | 20.00 |
| 12 to 18 in..... | 3.50 | 30.00 |
| <i>Spiraea froebeli</i> , | | |
| 6 to 8 in..... | 3.00 | 25.00 |
| 8 to 12 in..... | 3.50 | 30.00 |
| 12 to 18 in..... | 4.50 | 40.00 |
| <i>Spiraea prunifolia</i> , | | |
| Pot grown,..... | 7.00 | 65.00 |
| <i>Spiraea trichocarpa</i> , | | |
| Pot grown,..... | 5.00 | 45.00 |
| <i>Spiraea vanhouttei</i> , | | |
| 18 to 24 in..... | 4.50 | 40.00 |
| <i>Stephanandra flexuosa</i> , | | |
| Pot grown,..... | 4.50 | |
| <i>Symphoricarpos chenaulti</i> , | | |
| 12 to 18 in..... | 3.00 | 25.00 |
| <i>Symphoricarpos mollis</i> , | | |
| 10 to 15 in..... | 4.00 | |
| <i>Symphoricarpos racemosus</i> , | | |
| 12 to 18 in..... | 3.00 | 27.50 |
| <i>Tamarix africana</i> , | | |
| 12 to 18 in..... | 2.25 | 20.00 |
| 18 to 24 in..... | 2.50 | 22.50 |
| 2 to 3 ft..... | 3.00 | 25.00 |
| 3 to 4 ft..... | 3.50 | 30.00 |

| | Per C | Per M |
|---|-------|--------|
| Viburnum americana, 12 to 18 in. T..... | 7.50 | |
| Viburnum burkwoodi, 8 to 12 in. grafts, 2 $\frac{1}{4}$ " pots,----- | 30.00 | |
| 2" pots,----- | 25.00 | 200.00 |
| 2 yr. grafts, 3" pots, 10 to 12 in., | 50.00 | |
| Viburnum carlesi, Pot grown,----- | 15.00 | |
| 4 to 8 in. S, 2 yr.,----- | 15.00 | 125.00 |
| Transplants,----- | 20.00 | |
| Viburnum lentago, 4 to 6 in. S, 1 yr.,----- | 4.00 | 30.00 |
| 6 to 8 in. S, 1 yr.,----- | 4.50 | 40.00 |
| 8 to 12 in. S, 1 yr.,----- | 5.00 | 45.00 |
| 12 to 18 in. T, 2 yr.,----- | 6.50 | 60.00 |
| 18 to 24 in. T, 2 yr.,----- | 7.50 | 70.00 |
| Viburnum molle, 10 to 12 in. T..... | 5.00 | |
| Viburnum opulus, 10 to 15 in.----- | 6.00 | 55.00 |
| Viburnum opulus sterile, 8 to 12 in. not T,----- | 4.50 | 40.00 |
| 12 to 18 in. not T,----- | 5.50 | 50.00 |
| 4 to 6 in. T 1 yr.,----- | 4.00 | |
| 12 to 18 in. T 2 yr.,----- | 6.50 | |
| 18 to 24 in. T 2 yr.,----- | 7.50 | |
| Viburnum rhytidophyllum, 4 to 6 in. T..... | 8.00 | |
| 8 to 15 in. T, 2 yr.,----- | 15.00 | |
| Weigela abel carriere, Pot grown,----- | 4.50 | 40.00 |
| 12 to 18 in.----- | 5.00 | 45.00 |
| Weigela eva rathke, Pot grown,----- | 4.50 | 40.00 |
| Weigela floribunda, 12 to 18 in.----- | 5.50 | 50.00 |
| Weigela rosea, 12 to 18 in.----- | 4.00 | 35.00 |

LINING OUT VINES

| | Per C | Per M |
|--|-------|--------|
| Ampelopsis quinquefolia, 2 yr. S,----- | 4.00 | |
| Celastrus scandens, 8 to 12 in.----- | 2.00 | 17.50 |
| 12 to 18 in.----- | 2.50 | 22.50 |
| Euonymus colorata, Pot grown,----- | 4.00 | 35.00 |
| Pot grown, 2 yr.,----- | 4.50 | 40.00 |
| 6 to 12 in. T, 1 yr.,----- | 4.00 | 35.00 |
| 12 to 18 in. T, 1 yr.,----- | 4.50 | 40.00 |
| 18 to 24 in. T, 1 yr.,----- | 5.50 | 50.00 |
| 12 to 18 in. T, 2 yr.,----- | 5.50 | 50.00 |
| 18 to 24 in. T, 2 yr.,----- | 10.00 | 75.00 |
| 18 to 24 in. T, 3 yr.,----- | 15.00 | 120.00 |
| Euonymus radicans, Pot grown, 2 yr.,----- | 20.00 | |
| 6 to 12 in. T..... | 6.00 | 55.00 |
| Euonymus radicans acutus, 6 to 12 in.----- | 6.00 | 50.00 |
| 15 to 18 in.----- | 25.00 | 200.00 |
| Euonymus radicans vegetus, Pot grown,----- | 7.50 | |
| 4 to 6 in. T, 1 yr.,----- | 5.00 | 45.00 |
| 6 to 12 in. T, 1 yr.,----- | 6.50 | 60.00 |
| 6 to 12 in. T, 2 yr.,----- | 7.50 | 70.00 |
| 12 to 15 in. T, 2 yr.,----- | 10.00 | 90.00 |
| Hedera helix, (English Ivy), Pot grown,----- | 5.00 | |
| Lonicera japonica halliana, Pot grown,---(\$500 per 10M)----- | 6.00 | 55.00 |
| 12 to 18 in. T..... | 4.00 | 35.00 |
| 18 to 24 in. T..... | 7.00 | 60.00 |
| 5" Cloverset pots,----- | 15.00 | |

LINING OUT TREES

| | Per C | Per M |
|--|--------|--------|
| Acer palmatum atropurpureum, | | |
| Grafts, 2¼" pots,----- | 25.00 | |
| 1 yr. grafts, 2¼" pots,----- | 40.00 | 350.00 |
| 1 yr. grafts, 3" pots,----- | 50.00 | 450.00 |
| Acer palmatum atropurpureum dis- | | |
| sectum, | | |
| 1 yr. grafts, large pots,----- | 45.00 | |
| Acer platanoides, (Norway Maple), | | |
| SPRING ONLY | | |
| 5 to 6 ft. whips,----- | 37.50 | |
| 6 to 7 ft. whips,----- | 47.50 | |
| Acer platanoides ascendens, | | |
| (Pyramidal Norway Maple), | | |
| SPRING ONLY | | |
| 5 to 6 ft. whips,----- | 80.00 | |
| 6 to 7 ft. whips,----(\$1.00 each)--- | 90.00 | |
| 7 to 8 ft. whips,--- (\$1.25 each)--- | 110.00 | |
| Acer saccharum, | | |
| 12 to 18 in.----- | 3.50 | 30.00 |
| Acer schwedleri, SPRING ONLY, | | |
| 7 to 8 ft. whips,----- | 80.00 | |
| Ash, european mountain, | | |
| 8 to 12 in.----- | 2.00 | 17.50 |
| 12 to 18 in.----- | 3.00 | 25.00 |
| 18 to 24 in.----- | 4.00 | 35.00 |
| Birch, cut leaf weeping, | | |
| SPRING ONLY, | | |
| 2 to 3 ft.----- | 40.00 | 350.00 |
| Carpinus betulus pyramidalis, | | |
| Grafts, 2¼" pots,----- | 25.00 | |
| 1 yr. grafts, large pots,----- | 35.00 | |
| Cercidiphyllum japonicum, | | |
| 8 to 12 in. S----- | 4.00 | 35.00 |
| Cercis canadensis, | | |
| 18 to 24 in.----- | 3.00 | 25.00 |
| Cornus florida, | | |
| 12 to 18 in.----- | 5.00 | 45.00 |
| Cornus florida rubra, | | |
| Grafts, 2¼" pots,----- | 25.00 | |
| 1 yr. grafts from pots,----- | 35.00 | |
| 6 to 12 in., field grown from buds,-- | 25.00 | |
| 12 to 18 in., field grown from buds,-- | 35.00 | |
| Corylus avellana, | | |
| 12 to 18 in.----- | 5.00 | |
| Crataegus crusgalli, | | |
| 12 to 24 in.----- | 5.00 | |
| Elm, american, | | |
| 18 to 24 in.----- | 1.50 | 12.00 |
| Elm, american vase, | | |
| (field grown from buds), | | |
| 18 to 24 in.----- | 18.00 | |
| 2 to 3 ft.----- | 20.00 | |
| 3 to 4 ft.----- | 25.00 | |
| 4 to 5 ft.----- | 30.00 | |
| Elm, chinese, | | |
| 3 to 4 ft. S----- | 4.00 | 35.00 |
| Elm, moline, (field grown from buds), | | |
| 18 to 24 in.----- | 18.00 | |
| 2 to 3 ft.----- | 20.00 | |
| 3 to 4 ft.----- | 25.00 | |
| 4 to 5 ft.----- | 30.00 | |
| Fagus americana, | | |
| 12 to 18 in.----- | 4.00 | 35.00 |
| Fagus sylvatica incisa, | | |
| 1 yr. grafts, 3" pots,----- | 40.00 | |
| Fagus sylvatica riversi, | | |
| grafts, 2¼" pots,----- | 25.00 | |
| Ginkgo biloba, | | |
| 8 to 12 in., 2 yr.,----- | 5.00 | |

| | | |
|--|-------|--------|
| Ginkgo biloba pyramidalis, | Per C | Per M |
| 1 yr. grafts, 3" pots,----- | 50.00 | |
| Gleditsia triacanthos inermis, | | |
| 8 to 12 in.----- | 2.50 | 20.00 |
| 12 to 18 in.----- | 3.50 | 30.00 |
| Liquidambar styraciflua, | | |
| 12 to 18 in.----- | 3.50 | 30.00 |
| Liriodendron tulipifera, | | |
| 12 to 18 in.----- | 2.50 | 20.00 |
| 2 to 3 ft.----- | 3.00 | 25.00 |
| Malus, Aldenhamensis, Eleyei, Flori- bunda, Georgeanus, Parkmani, Sargenti, Scheideckeri, Silver Red, Spectabilis, Theifera, Toringoides, | | |
| 1 yr. buds, 12 to 36 in.----- | 25.00 | 200.00 |
| Poplar, bolleana, | | |
| 18 to 24 in.----- | 4.00 | 35.00 |
| Poplar, lombardy, | | |
| 18 to 24 in.----- | 2.50 | 20.00 |
| 2 to 3 ft.----- | 3.50 | 30.00 |
| Ptelea trifoliata, | | |
| 12 to 18 in.----- | 2.50 | 20.00 |
| 18 to 24 in.----- | 3.50 | 30.00 |

DECIDUOUS GRAFTS

The understocks for these deciduous grafts are established one year in 2¼" and 2½" deep rose pots before grafting, thereby insuring a well established and pot bound plant.

| | |
|--|-------|
| Acer palmatum atropurpureum, | Per C |
| 8 to 12 in. grafts,----- | 25.00 |
| Carpinus betulus pyramidalis, | |
| 8 to 12 in. grafts,----- | 25.00 |
| Cornus florida rubra, | |
| 8 to 12 in. grafts,----- | 25.00 |
| Corylus avellana atropurpurea, | |
| 8 to 12 in. grafts,----- | 20.00 |
| Corylus avellana aurea, | |
| 8 to 12 in. grafts,----- | 20.00 |
| Fagus sylvatica riversi, | |
| 8 to 12 in. grafts,----- | 25.00 |
| Horsechestnut, pink flowering, | |
| 8 to 12 in. grafts,----- | 35.00 |
| Liriodendron tulipifera pyramidalis, | |
| 8 to 12 in. grafts,----- | 25.00 |
| Quercus robur fastigiata, | |
| 8 to 12 in. grafts,----- | 30.00 |
| Viburnum burkwoodi, | |
| (The pink flowers resemble those of Viburnum carlesi, one of its parents, but blooms occur earlier and are in- tensely fragrant. The foliage is semi- evergreen and is hardy. A much more vigorous grower than Viburnum carlesi and the long stems make it a good subject for cutting.) | |
| 8 to 12 in. grafts,----- | 30.00 |

| | | |
|-------------------------------|-------|-------|
| Quercus palustris, (Pin Oak), | | |
| 6 to 12 in.----- | 2.50 | 20.00 |
| 12 to 15 in.----- | 3.50 | 30.00 |
| Quercus robur fastigiata, | | |
| (Pyramidal English Oak), | | |
| Grafts, 2¼" pots,----- | 30.00 | |
| 1 yr. grafts, pots,----- | 40.00 | |
| 2 yr. grafts, pots,----- | 50.00 | |
| Quercus rubra, (Red Oak), | | |
| 6 to 8 in., 1 yr.,----- | 2.50 | 20.00 |
| 6 to 8 in., 2 yr.,----- | 3.00 | 25.00 |
| 8 to 12 in., 2 yr.,----- | 4.00 | 35.00 |

| | | |
|------------------------------------|-------|-------|
| Sycamore, american, | Per C | Per M |
| 18 to 24 in.----- | 3.00 | 25.00 |
| 2 to 3 ft.----- | 3.75 | 30.00 |
| Willow, babylonica, | | |
| 12 to 18 in.----- | 2.50 | 20.00 |
| 18 to 24 in.----- | 3.00 | 25.00 |
| 2 to 3 ft.----- | 3.50 | 30.00 |
| Willow, elegantissima, | | |
| 18 to 24 in.----- | 3.00 | 25.00 |
| 2 to 3 ft.----- | 3.50 | 30.00 |
| 3 to 4 ft.----- | 4.00 | 35.00 |
| Willow, regals, (Silvery foliage), | | |
| 8 to 12 in.----- | 3.50 | |
| 12 to 18 in.----- | 4.00 | |

EVERGREEN GRAFTS

These grafts are out of 2¼" and 2½" deep rose pots and are on strong well established understocks of the same families, ie: Juniperus are grafted on Juniperus virginiana understocks; Koster's Spruce on Spruce, etc.

For shipment we wrap the pot balls individually in sphagnum moss then in waxed paper to preserve the moisture and prevent undue breakage of the ball. We know of no better method of packing grafts.

| | |
|--|-------|
| | Per C |
| Biota Burtoni,----- | 35.00 |
| Biota compacta,----- | 20.00 |
| Biota conspicua aurea,----- | 20.00 |
| Juniperus chinensis columnaris blue,----- | 25.00 |
| Juniperus chinensis government No. 18577,----- | 25.00 |
| Juniperus chinensis kettleri,----- | 25.00 |
| Juniperus chinensis mascula,----- | 25.00 |
| Juniperus chinensis pfitzeriana,----- | 25.00 |
| Juniperus chinensis pfitzeriana aurea, (Hill's golden)----- | 25.00 |
| Juniperus conferta,----- | 25.00 |
| Juniperus communis aurea,----- | 25.00 |
| Juniperus communis vase shaped,----- | 25.00 |
| Juniperus femina,----- | 25.00 |
| Juniperus japonica green,----- | 25.00 |
| Juniperus sabina von ehron,----- | 25.00 |
| Juniperus sargentii,----- | 25.00 |
| Juniperus squamata meyeri,----- | 25.00 |
| Juniperus virginiana burkei,----- | 25.00 |
| Juniperus virginiana cannarti,----- | 25.00 |
| Juniperus virginiana dundee,----- | 25.00 |
| Juniperus virginiana elegantissima lee,----- | 25.00 |
| Juniperus virginiana glauca,----- | 25.00 |
| Juniperus virginiana globosa,----- | 25.00 |
| Juniperus virginiana pendula,----- | 25.00 |
| Juniperus virginiana pyramidalis,----- | 25.00 |
| Juniperus virginiana schotti,----- | 25.00 |
| Picea kosteriana,----- | 35.00 |
| Picea morheimeii,----- | 40.00 |
| Pinus tanyosho,----- | 25.00 |

LINING OUT EVERGREENS

| | | |
|---------------------------------|-------|--------|
| Biota aurea nana, | Per C | Per M |
| Pot grown,----- | 10.00 | 90.00 |
| Biota compacta, | | |
| Pot grown,----- | 12.00 | 110.00 |
| 1 yr. transplanted grafts,----- | 30.00 | |
| Biota pyramidalis, | | |
| Pot grown,----- | 11.00 | 100.00 |
| Buxus sempervirens, | | |
| 3 and 4 in. pots,----- | 6.00 | 50.00 |
| 6 to 8 in. T----- | 8.00 | 75.00 |
| 8 to 12 in. T----- | 10.00 | 90.00 |

| | Per C | Per M |
|--|-------|--------|
| <i>Buxus sempervirens suffruticosa</i> , | | |
| 1 yr. T----- | 6.00 | |
| 3 yr. T----- | 8.00 | |
| <i>Daphne cneorum</i> , | | |
| 6 to 10 in. T--(\$650.00 per 10M)----- | 7.50 | 70.00 |
| <i>Euonymus colorata</i> , | | |
| Pot grown,----- | 4.00 | 35.00 |
| Pot grown, 2 yr.,----- | 4.50 | 40.00 |
| 6 to 12 in. T, 1 yr.,----- | 4.00 | 35.00 |
| 12 to 18 in. T, 1 yr.,----- | 4.50 | 40.00 |
| 18 to 24 in. T, 1 yr.,----- | 5.50 | 50.00 |
| 12 to 18 in. T, 2 yr.,----- | 5.50 | 50.00 |
| 18 to 24 in. T, 2 yr.,----- | 10.00 | 75.00 |
| 18 to 24 in. T, 3 yr.,----- | 15.00 | 120.00 |
| <i>Euonymus patens</i> , | | |
| Pot grown,----- | 4.50 | 40.00 |
| 4 to 6 in. 1 yr.,----- | 4.50 | 40.00 |
| 6 to 8 in. 1 yr.,----- | 6.00 | 50.00 |
| 8 to 12 in. 1 yr.,----- | 7.00 | 65.00 |
| 12 to 15 in. T 3 yr.,----- | 25.00 | 200.00 |
| 15 to 18 in. T 3 yr.,----- | 35.00 | 300.00 |
| <i>Euonymus radicans</i> , | | |
| Pot grown, 2 yr.,----- | 20.00 | |
| 6 to 12 in. T----- | 6.00 | 55.00 |
| <i>Euonymus radicans carrierei</i> , | | |
| 6 to 8 in. T----- | 5.00 | 45.00 |
| 8 to 12 in. T----- | 6.00 | 55.00 |
| <i>Euonymus radicans vegetus</i> , | | |
| Pot grown,----- | 7.50 | |
| 4 to 6 in. T, 1 yr.,----- | 5.00 | 45.00 |
| 6 to 12 in. T, 1 yr.,----- | 6.50 | 60.00 |
| 6 to 12 in. T, 2 yr.,----- | 7.50 | 70.00 |
| 12 to 15 in. T, 2 yr.,----- | 10.00 | 90.00 |
| <i>Juniperus andorra</i> , 2 yr., | | |
| Pot grown, 4 to 6 in.----- | 8.00 | 75.00 |
| Pot grown, 6 to 8 in.----- | 10.00 | 90.00 |
| <i>Juniperus Bar Harbor</i> , | | |
| Pot grown,----- | 12.00 | |
| <i>Juniperus excelsa stricta</i> , | | |
| Pot grown,----- | 10.00 | 90.00 |
| 6 to 8 in. T----- | 18.00 | 150.00 |
| <i>Juniperus hibernica</i> , (Irish), | | |
| Pot grown,----- | 8.00 | 75.00 |
| <i>Juniperus horizontalis</i> , | | |
| Pot grown,----- | 9.00 | 80.00 |
| <i>Juniperus pfitzeriana</i> , | | |
| Pot grown,----- | 11.00 | 100.00 |
| 8 to 12 in. T----- | 15.00 | 140.00 |
| 1 yr. transplanted grafts,----- | 30.00 | |
| <i>Juniperus procumbens</i> , | | |
| Pot grown,----- | 12.00 | |
| <i>Juniperus sabina</i> , | | |
| Pot grown,----- | 8.00 | 75.00 |
| <i>Juniperus sabina von ehron</i> , | | |
| Pot grown,----- | 10.00 | 90.00 |
| Pot grown, 2 yr.,----- | 12.00 | 100.00 |
| <i>Juniperus scopulorum</i> , | | |
| 8 to 12 in. T,----- | 10.00 | |
| <i>Juniperus squamata meyeri</i> , | | |
| Pot grown,----- | 10.00 | 90.00 |
| 3 to 5 in. T----- | 12.00 | |
| 5 to 7 in. T----- | 15.00 | |
| 8 to 12 in. T grafts,----- | 30.00 | |
| <i>Juniperus virginiana</i> , 2 yr., | | |
| 8 to 12 in. T----- | 6.50 | 60.00 |
| <i>Juniperus virginiana burkei</i> , | | |
| 8 to 12 in. TT----- | 20.00 | |
| <i>Juniperus virginiana kettleri</i> , | | |
| 1 yr. transplanted grafts,----- | 35.00 | |
| <i>Juniperus waukegan</i> , | | |
| Pot grown,----- | 10.00 | |

| | | |
|--|-------|--------|
| Mahonia aquifolia, | Per C | Per M |
| 4 to 6 in. S 2 yr., | 5.00 | |
| Picea albertiana, (Black Hill Spruce), | | |
| 6 to 8 in. T | 12.50 | 110.00 |
| Picea excelsa, (Norway Spruce), | | |
| 8 to 10 in. T | 7.50 | 70.00 |
| Pinus montana mughus, | | |
| 6 to 8 in. T | 15.00 | |
| Pinus nigra, (Austrian Pine), | | |
| 8 to 10 in. T | 9.00 | 85.00 |
| 12 to 15 in. T | 12.00 | |
| Pinus sylvestrus, (Scotch Pine), | | |
| 6 to 10 in. S | 4.50 | 40.00 |
| 8 to 10 in. T | 9.00 | 85.00 |
| Pyracantha pauciflora, | | |
| Pot grown, | 6.00 | 50.00 |
| Pot grown, 2 yr., | 7.50 | 65.00 |
| Large pots, | 15.00 | |
| Taxus andersoni, | | |
| Pot grown, | 12.50 | 120.00 |
| Taxus browni, | | |
| Pot grown, | 15.00 | 125.00 |
| Taxus cuspidata, | | |
| Pot grown, | 10.00 | 90.00 |
| 4 to 8 in. T, 1 yr., | 10.00 | 90.00 |
| 2 yr. TT | 15.00 | |
| Taxus cuspidata capitata, | | |
| Pot grown, | 10.00 | 90.00 |
| Taxus cuspidata intermedia, | | |
| Pot grown, | 15.00 | |
| Taxus media hatfieldi, | | |
| Pot grown, | 10.00 | 90.00 |
| 6 to 8 in. T 2 yr., | 18.00 | |
| Taxus media hicksi, | | |
| Pot grown, | 10.00 | 90.00 |
| Pot grown, 2 yr., | 12.00 | 100.00 |
| 1 yr. T | 10.00 | 90.00 |
| 2 yr. TT | 12.50 | |
| 8 to 12 in. T, 2 yr., | 18.00 | 170.00 |
| Taxus media Hunnewelliana, | | |
| Pot grown, | 12.50 | |
| Thuja occidentalis dark green, | | |
| Pot grown, | 9.00 | |
| Thuja occidentalis pyramidalis, | | |
| Pot grown, | 9.00 | 80.00 |
| 6 to 10 in. T | 15.00 | 125.00 |
| 1 yr. transplanted grafts, | 30.00 | |
| Thuja occidentalis rosenthali, | | |
| 4 to 6 in. TT | 15.00 | |
| 1 yr. transplanted grafts, | 25.00 | |
| Thuja occidentalis wareana, | | |
| Pot grown, 2 yr., | 10.00 | |
| Thuja occidentalis woodwardi compacta, | | |
| Pot grown, | 6.50 | 60.00 |
| Pot grown, 2 yr., | 7.50 | 70.00 |
| Tsuga canadensis, | | |
| Pot grown, | 9.00 | 75.00 |
| 4 yr. TTT | 15.00 | |

FLOWERING SHRUBS

| | | |
|------------------------------------|---------|----------|
| Abelia grandiflora, | 10 Rate | 100 Rate |
| 18 to 24 in. | .50 | |
| Almonds, pink flowering, own root, | | |
| 18 to 24 in. | .28 | .25 |
| Althaea, (in varieties), 2 yr., | | |
| 2 to 3 ft. heavy, | .25 | .20 |
| Althaea, Ardens, Banner, Rubrus, | | |
| 4 to 5 ft. | .45 | |
| Althaea coelestis, | | |
| 3 to 4 ft. | .40 | |
| Amelanchier Botryapium, | | |
| 2 to 3 ft. | .30 | .25 |

| | 10 Rate | 100 Rate |
|---|---------|----------|
| Amelanchier canadensis, | | |
| 2 to 3 ft.----- | .35 | |
| 3 to 4 ft.----- | .45 | .40 |
| 4 to 5 ft.----- | .55 | .50 |
| 5 to 6 ft.----- | .75 | |
| Amorpha canescens, | | |
| 15 to 18 in.----- | .30 | |
| Amorpha fruticosa, | | |
| 4 to 5 ft.----- | .25 | |
| Aralia pentaphylla, | | |
| 18 to 24 in.----- | .16 | .14 |
| 2 to 3 ft.----- | .19 | .17 |
| 3 to 4 ft.----- | .25 | .22 |
| 4 to 5 ft.----- | .35 | .30 |
| 5 to 6 ft.----- | .50 | .45 |
| Aralia spinosa, | | |
| 2 to 3 ft.----- | .25 | |
| Aronia arbutifolia, | | |
| 3 to 4 ft.----- | .40 | .35 |
| Aronia brilliantissima, | | |
| 2 to 3 ft.----- | .35 | .30 |
| 3 to 3½ ft.----- | .40 | .35 |
| 4 ft.----- | .50 | |
| Aronia melanocarpa, | | |
| 18 to 24 in.----- | .22 | .20 |
| 2 to 3 ft.----- | .25 | .22 |
| 3 to 4 ft.----- | .30 | .25 |
| Barberry korean, | | |
| 18 to 24 in.----- | .30 | .25 |
| 2 to 3 ft.----- | .35 | .30 |
| Barberry minor, (Box leaf barberry), | | |
| 9 to 12 in.----- | .16 | .12 |
| 12 to 15 in.----- | .18 | .17 |
| 15 to 18 in.----- | .20 | .18 |
| 18 to 24 in.----- | .25 | .22 |
| Barberry, red, | | |
| 12 to 15 in.----- | .12 | .10 |
| 15 to 18 in.---- (\$125.00 per M)--- | .16 | .15 |
| 18 to 24 in.---- (\$160.00 per M)--- | .20 | .18 |
| 2 to 3 ft.----- | .30 | .25 |
| Barberry thunbergi, | | |
| 12 to 15 in.---- (\$60.00 per M)--- | .09 | .07 |
| 15 to 18 in.---- (\$70.00 per M)--- | .10 | .08 |
| 18 to 24 in.---- (\$80.00 per M)--- | .12 | .09 |
| 2 to 3 ft.---- (\$120.00 per M)--- | .20 | .15 |
| Callicarpa giraldiana, | | |
| 2 to 3 ft.----- | .25 | .20 |
| Callicarpa purpurea, | | |
| 2 to 3 ft.----- | .25 | .20 |
| Calycanthus floridus, | | |
| 18 to 24 in.----- | .22 | .20 |
| 2 to 3 ft.----- | .30 | .25 |
| Caragana arborescens, | | |
| 2 to 3 ft.----- | .15 | .12 |
| 3 to 4 ft.----- | .20 | .18 |
| 4 to 5 ft.----- | .25 | .20 |
| 5 to 6 ft.----- | .35 | |
| 6 to 7 ft.----- | .40 | |
| Cephalanthus occidentalis, | | |
| 2 to 3 ft.----- | .20 | .18 |
| 3 to 4 ft.----- | .25 | .22 |
| Cercis canadensis, | | |
| 2 to 3 ft.----- | .40 | |
| 5 to 6 ft.----- | .90 | |
| 6 to 7 ft.----- | 1.25 | |
| Chionanthus virginica, | | |
| 18 to 24 in.----- | .35 | |
| 2 to 3 ft.----- | .45 | |
| 3 to 4 ft.----- | .50 | |
| Columberry, truehedge, (Plant Pat. No. 110), | | |
| 18 to 24 in.----- | .20 | .16 |

| Columberry, true hedge (Cont.) | | 10 Rate | 100 Rate |
|--|--|---------|----------|
| 2 to 3 ft.----- | | .30 | .25 |
| <i>Cornus alba variegata</i> , | | | |
| 2 to 3 ft.----- | | .40 | .35 |
| 3 to 4 ft.----- | | .45 | |
| <i>Cornus alternifolia</i> , | | | |
| 5 to 6 ft.----- | | .45 | |
| <i>Cornus amomum</i> , | | | |
| 3 to 4 ft.----- | | .18 | .15 |
| 4 to 5 ft.----- | | .20 | .18 |
| 5 to 6 ft.----- | | .25 | .20 |
| <i>Cornus circinata</i> , | | | |
| 3 to 4 ft.----- | | .25 | .22 |
| 4 to 5 ft.----- | | .30 | .25 |
| 5 to 6 ft.----- | | .35 | .30 |
| <i>Cornus florida</i> , B&B, | | | |
| 2 to 3 ft.----- | | .75 | |
| 3 to 4 ft.----- | | 1.25 | 1.00 |
| 4 to 5 ft.----- | | 1.50 | |
| <i>Cornus lutea</i> , | | | |
| 18 to 24 in.----- | | .20 | .18 |
| 2 to 3 ft.----- | | .25 | .22 |
| 3 to 4 ft.----- | | .27 | .25 |
| 4 to 5 ft.----- | | .30 | |
| <i>Cornus mascula</i> , | | | |
| 2 to 3 ft.----- | | .45 | .40 |
| 3 to 4 ft.----- | | .60 | .50 |
| 4 to 5 ft.----- | | .90 | .80 |
| <i>Cornus paniculata</i> , | | | |
| 2 to 3 ft.----- | | .20 | .16 |
| 4 to 5 ft.----- | | .25 | .22 |
| 5 to 6 ft.----- | | .30 | .25 |
| <i>Cornus siberica</i> , | | | |
| 3 to 4 ft.----- | | .18 | .16 |
| 4 to 5 ft.----- | | .22 | .20 |
| 5 to 6 ft.----- | | .25 | .22 |
| <i>Corylus avellana</i> , | | | |
| 3 to 4 ft.----- | | .50 | |
| 5 to 6 ft.----- | | .70 | |
| 8 to 10 ft.----- | | .90 | |
| 10 to 12 ft.----- | | 1.50 | |
| <i>Cotoneaster acutifolia</i> , | | | |
| 18 to 24 in.----- | | .20 | .18 |
| 2 to 3 ft.----- | | .22 | .20 |
| 3 to 4 ft.----- | | .25 | .22 |
| 4 to 5 ft.----- | | .40 | |
| <i>Cotoneaster dameri</i> , | | | |
| 2 to 3 ft.----- | | .45 | |
| <i>Cotoneaster dielsiana</i> , | | | |
| 2 to 3 ft.----- | | .50 | .45 |
| 3 to 4 ft.----- | | .60 | |
| <i>Cotoneaster divaricata</i> , | | | |
| 18 to 24 in., (B&B 15¢ extra)----- | | .35 | .30 |
| 2 to 3 ft. (B&B 20¢ extra)----- | | .50 | |
| 3 to 4 ft. (B&B 25¢ extra)----- | | .75 | |
| <i>Cotoneaster foveolata</i> , | | | |
| 18 to 24 in.----- | | .25 | .20 |
| 2 to 3 ft.----- | | .35 | .30 |
| 3 to 4 ft.----- | | .40 | .35 |
| 4 to 5 ft.----- | | .50 | .45 |
| <i>Cotoneaster horizontalis</i> , B&B, | | | |
| 10 to 12 in.----- | | .40 | .30 |
| 12 to 18 in.----- | | .45 | .40 |
| 18 to 24 in.----- | | .60 | .50 |
| <i>Cotoneaster hupehensis</i> , | | | |
| 5 to 6 ft.----- | | .75 | |
| <i>Cotoneaster simonsi</i> , | | | |
| 3 to 4 ft.----- | | .50 | |
| <i>Cotoneaster soongarica</i> , | | | |
| 2 to 3 ft.----- | | .50 | .40 |
| 3 to 4 ft.----- | | .75 | |

| Cydonia japonica, upright, French hybrid, | 10 Rate | 100 Rate |
|---|---------|----------|
| 18 to 24 in.----- | .25 | .22 |
| 2 to 3 ft.----- | .35 | .30 |
| Cydonia maulei, | | |
| 18 to 24 in.----- | .20 | .18 |
| 2 to 3 ft.----- | .25 | .22 |
| Deutzia gracilis, | | |
| 10 to 12 in.----- | .20 | .18 |
| 12 to 15 in.----- | .25 | |
| Deutzia lemoinei, | | |
| 15 to 18 in.----- | .20 | .18 |
| 18 to 24 in.----- | .25 | .20 |
| Deutzia magnifica, | | |
| 3 to 4 ft.----- | .35 | |
| Deutzia Pride of Rochester, | | |
| 2 to 3 ft.----- | .20 | |
| Elaeagnus angustifolia, | | |
| 2 to 3 ft.----- | .25 | .22 |
| 3 to 4 ft.----- | .30 | .25 |
| 4 to 5 ft.----- | .40 | .35 |
| 5 to 6 ft.----- | .50 | |
| 6 to 7 ft.----- | .60 | |
| 7 to 8 ft.----- | .75 | |
| 8 to 10 ft.----- | 1.00 | |
| Elaeagnus umbellata, | | |
| 3 to 4 ft.----- | .40 | |
| 4 to 5 ft.----- | .45 | |
| Elder, golden, | | |
| 4 to 5 ft.----- | .25 | .22 |
| 5 to 6 ft.----- | .30 | .25 |
| Euonymus alatus, | | |
| 18 to 24 in.----- | .30 | .27 |
| 2 to 3 ft.----- | .50 | .45 |
| 3 to 4 ft.----- | .65 | |
| Euonymus alatus compacta, | | |
| 15 to 18 in.----- | .30 | |
| 18 to 24 in.----- | .40 | .37 |
| 2 to 3 ft.----- | .60 | .55 |
| Euonymus americana, | | |
| 18 to 24 in.----- | .35 | .30 |
| 2 to 3 ft.----- | .40 | .35 |
| Euonymus bungeana, | | |
| 18 to 24 in.----- | .20 | .18 |
| 2 to 3 ft.----- | .25 | .22 |
| 3 to 4 ft.----- | .30 | |
| 4 to 5 ft.----- | .40 | |
| Euonymus europaeus, | | |
| 3 to 4 ft.----- | .35 | .30 |
| 4 to 5 ft.----- | .40 | |
| 5 to 6 ft.----- | .50 | |
| 6 to 7 ft.----- | .75 | |
| 8 to 10 ft.----- | 1.00 | |
| 5 to 6 ft. standards,----- | .75 | |
| Euonymus patens, B&B, | | |
| 12 to 15 in.----- | .50 | .45 |
| 15 to 18 in.----- | .60 | .50 |
| Euonymus yedoensis, | | |
| 2 to 3 ft.----- | .35 | .30 |
| 3 to 4 ft.----- | .40 | .35 |
| 4 to 5 ft.----- | .45 | .40 |
| Exochorda grandiflora, | | |
| 3 to 4 ft.----- | .40 | |
| Fontanesia fortunei, | | |
| 2 to 3 ft.----- | .20 | .15 |
| 4 to 5 ft.----- | .30 | .27 |
| 6 to 7 ft.----- | .45 | .40 |
| 7 to 8 ft.----- | .50 | .45 |
| Forsythia dwarf, | | |
| 15 to 18 in.----- | .25 | .22 |
| Forsythia intermedia, | | |
| 2 to 3 ft.----- | .18 | .12 |

| Forsythia intermedia (Cont.) | | 10 Rate | 100 Rate |
|---|-------|---------|----------|
| 3 to 4 ft. | ----- | .20 | .18 |
| 4 to 5 ft. | ----- | .25 | .22 |
| Forsythia ovata, | | | |
| 12 to 18 in. | ----- | .20 | |
| Forsythia primulina, | | | |
| 2 to 3 ft. | ----- | .22 | .20 |
| 3 to 4 ft. | ----- | .25 | .22 |
| 5 to 6 ft. | ----- | .45 | |
| Forsythia spectabilis, | | | |
| 3 to 4 ft. | ----- | .20 | .18 |
| 4 to 5 ft. | ----- | .22 | .20 |
| 5 to 6 ft. | ----- | .25 | .22 |
| Forsythia suspensa, | | | |
| 2 to 3 ft. | ----- | .22 | .20 |
| 3 to 4 ft. | ----- | .25 | .22 |
| Halesia tetraptera, | | | |
| 18 to 24 in. | ----- | .35 | |
| 2 to 3 ft. | ----- | .40 | |
| Hamamelis vernalis, | | | |
| 3 to 3½ ft. | ----- | .50 | |
| 4 to 5 ft. | ----- | 1.00 | |
| Hamamelis virginiana, | | | |
| 3 to 4 ft. | ----- | .50 | |
| 4 to 5 ft. | ----- | .75 | |
| 5 to 6 ft. | ----- | .90 | |
| Hydrangea A. G., | | | |
| 15 to 18 in. | ----- | .18 | .15 |
| 18 to 24 in. | ----- | .20 | .18 |
| 2 to 3 ft. | ----- | .30 | .25 |
| 3 to 4 ft. | ----- | .35 | .30 |
| Hydrangea P. G., | | | |
| 18 to 24 in. | ----- | .20 | .18 |
| 2 to 3 ft. | ----- | .22 | .20 |
| 2 to 3 ft. tree form, | ----- | .50 | |
| 3 to 4 ft. tree form, | ----- | .75 | |
| Hydrangea tardiva, | | | |
| 12 to 18 in. | ----- | .20 | .15 |
| 2 to 3 ft. | ----- | .30 | .25 |
| Hypericum prolificum, | | | |
| 2 to 3 ft. | ----- | .25 | .22 |
| 3 to 4 ft. | ----- | .30 | .25 |
| Ilex verticillata, | | | |
| 12 to 18 in. | ----- | .16 | .15 |
| 18 to 24 in. | ----- | .25 | .22 |
| 2 to 3 ft. | ----- | .35 | .30 |
| 3 to 4 ft. | ----- | .45 | .40 |
| Kerria japonica, single, | | | |
| 12 to 18 in. | ----- | .20 | .15 |
| 18 to 24 in. | ----- | .30 | .25 |
| 2 to 3 ft. | ----- | .35 | .30 |
| Kolkwitzia amabilis, | | | |
| 18 to 24 in. | ----- | .30 | .25 |
| 2 to 3 ft. | ----- | .40 | .35 |
| 3 to 4 ft. | ----- | .50 | .45 |
| 4 to 5 ft. | ----- | .60 | |
| Lilac, French seedlings, | | | |
| 3 to 4 ft. | ----- | .65 | |
| Lilac, French, Hugbo Koster, Belle de Nancy, Emil Gentil, Chas. Jolly. | | | |
| 2 to 3 ft. | ----- | .65 | |
| 3 to 4 ft. | ----- | .85 | |
| Lilac, Japonica, | | | |
| 15 to 18 in. | ----- | .25 | |
| 3 to 4 ft. | ----- | .75 | |
| 8 to 9 ft. | ----- | 2.50 | |
| Lilac, Josikaea, | | | |
| 2 to 3 ft. | ----- | .30 | |
| 3 to 4 ft. | ----- | .40 | .35 |
| 4 to 5 ft. | ----- | .50 | |

| | 10 Rate | 100 Rate |
|-------------------------------------|---------|----------|
| Lilac, persian, | | |
| 3 to 4 ft.----- | .35 | .30 |
| 4 to 5 ft.----- | .45 | .40 |
| Lilac, villosa, | | |
| 18 to 24 in.---(\$100.00 per M)---- | .16 | .12 |
| 2 to 3 ft.----- | .20 | .18 |
| 3 to 4 ft.----- | .25 | .22 |
| 4 to 5 ft.----- | .40 | .30 |
| 6 to 8 ft.----- | .60 | |
| 8 to 10 ft.----- | 1.00 | |
| Lilac, vulgaris, | | |
| 18 to 24 in.----- | .18 | .15 |
| 2 to 3 ft.----- | .25 | .20 |
| 3 to 4 ft.----- | .40 | |
| Lonicera belle rosea, | | |
| 3 to 4 ft.----- | .25 | .20 |
| 4 to 5 ft.----- | .27 | .25 |
| Lonicera fragrantissima, | | |
| 2 to 3 ft.----- | .25 | .20 |
| Lonicera maacki, | | |
| 3 to 4 ft.----- | .30 | .25 |
| 4 to 5 ft.----- | .40 | .35 |
| 5 to 6 ft.----- | .50 | |
| Lonicera maacki podocarpa, | | |
| 2 to 3 ft.----- | .30 | |
| Lonicera morrowi, | | |
| 4 to 5 ft.----- | .25 | .20 |
| 5 to 6 ft.----- | .30 | .25 |
| Lonicera ruprechtiana, | | |
| 2 to 3 ft.----- | .15 | .12 |
| 3 to 4 ft.----- | .20 | .18 |
| 4 to 5 ft.----- | .25 | .22 |
| Lonicera syringantha wolffi, | | |
| 2 to 3 ft.----- | .35 | |
| Lonicera tatarica rubra, | | |
| 18 to 24 in.----- | .20 | .18 |
| 2 to 3 ft.----- | .22 | |
| Lonicera zabeli, | | |
| 18 to 24 in.----- | .22 | .20 |
| 3 to 4 ft.----- | .30 | .25 |
| Magnolia glauca, B&B, | | |
| 15 to 18 in.----- | .50 | |
| 18 to 24 in.----- | .75 | |
| 2 to 3 ft.----- | 1.00 | |
| Magnolia soulangeana, B&B, | | |
| 2 to 3 ft.----- | 3.00 | |
| 3 to 4 ft.----- | 4.50 | |
| Myrica carolinensis, | | |
| 12 to 18 in.----- | .35 | .30 |
| 18 to 24 in.----- | .50 | .45 |
| 3 to 4 ft.----- | .75 | |
| Philadelphus aurea, | | |
| 15 to 18 in.----- | .35 | .30 |
| Philadelphus boquet blanc, | | |
| 18 to 24 in.----- | .20 | .16 |
| 2 to 3 ft.----- | .25 | .22 |
| 3 to 4 ft.----- | .30 | .25 |
| Philadelphus lemoinei erecta, | | |
| 2 to 3 ft.----- | .25 | .22 |
| Philadelphus virginal, | | |
| 15 to 18 in.----- | .20 | .17 |
| 18 to 24 in.----- | .22 | .20 |
| 2 to 3 ft.----- | .35 | .30 |
| 3 to 4 ft.----- | .40 | .35 |
| 4 to 5 ft.----- | .50 | |
| Physocarpus monogynus, | | |
| 18 to 24 in.----- | .20 | .18 |
| 2 to 3 ft.----- | .22 | .20 |
| 3 to 4 ft.----- | .25 | .22 |
| Physocarpus opulifolius aureus, | | |
| 4 to 5 ft.----- | .27 | .25 |
| 6 to 7 ft.----- | .40 | |

| Privet, amoor river north, | 10 Rate | 100 Rate |
|------------------------------------|---------|----------|
| 18 to 24 in., 3 to 6 branch,----- | .08 | .06 |
| 18 to 24 in., 6 branch & up,----- | .10 | .08 |
| 2 to 3 ft., 3 to 6 branch,----- | .09 | .07½ |
| 2 to 3 ft., 6 branch & up,----- | .12 | .10 |
| Privet, californica, | | |
| 18 to 24 in.----- | .04 | .03 |
| 2 to 3 ft.----- | .05 | .04 |
| 3 to 4 ft.----- | .07 | .05 |
| Privet, ibolium, | | |
| 18 to 24 in.----- | .08 | .06½ |
| 2 to 3 ft.----- | .10 | .08 |
| 3 to 4 ft.----- | .18 | .15 |
| 4 to 5 ft.----- | .22 | .18 |
| 5 to 7 ft.----- | .30 | .25 |
| Privet, ibota, | | |
| 18 to 24 in.----- | .10 | .08 |
| 2 to 3 ft.----- | .15 | .12 |
| Privet, ibota golden, | | |
| 12 to 15 in.----- | .20 | .18 |
| 15 to 18 in.----- | .25 | .22 |
| 18 to 24 in.----- | .30 | .25 |
| Privet, regels, | | |
| 12 to 18 in.----- | .15 | .12 |
| 18 to 24 in.---(\$160.00 per M)--- | .20 | .18 |
| 2 to 3 ft.----- | .30 | |
| Prunus bleariana, | | |
| 5 to 6 ft.----- | .75 | |
| Prunus cistina, | | |
| 3 to 4 ft.----- | .40 | .35 |
| 4 to 5 ft.----- | .50 | .40 |
| Prunus maritima, | | |
| 4 to 5 ft.----- | .40 | |
| Prunus mume, | | |
| 3 to 4 ft.----- | .45 | |
| Prunus pissiardi niger, | | |
| 3 to 4 ft.----- | .45 | .40 |
| 4 to 5 ft.----- | .50 | .45 |
| 5 to 6 ft.----- | .60 | .50 |
| Prunus pumila, | | |
| 3 to 4 ft.----- | .22 | .20 |
| 4 to 5 ft.----- | .25 | .22 |
| Prunus tomentosum, | | |
| 2 to 3 ft.----- | .22 | .20 |
| 3 to 4 ft.----- | .25 | .22 |
| 4 to 5 ft.----- | .35 | .30 |
| 5 to 6 ft.----- | .45 | .40 |
| 6 to 7 ft.----- | .75 | |
| Prunus triloba, | | |
| 2 to 3 ft.----- | .40 | .35 |
| 3 to 4 ft.----- | .50 | .45 |
| 4 to 5 ft.----- | .60 | |
| Ptelea trifoliata, | | |
| 4 to 5 ft.----- | .25 | .20 |
| 5 to 6 ft.----- | .30 | .25 |
| 6 to 7 ft.----- | .45 | .40 |
| Pyracantha pauciflora, B&B, | | |
| 2 to 2½ ft.----- | 1.50 | 1.25 |
| 2½ to 3 ft.----- | 1.75 | 1.50 |
| Rhamnus Chadwicki, | | |
| 3 to 4 ft.----- | .30 | .25 |
| Rhamnus frangula, | | |
| 2 to 3 ft.----- | .20 | .18 |
| 3 to 4 ft.----- | .25 | .22 |
| 5 to 6 ft.----- | .30 | |
| Rhamnus frangula laciniata, | | |
| 2 to 3 ft.----- | .75 | |
| Rhodotypos kerrioides, | | |
| 18 to 24 in.----- | .22 | .20 |
| 2 to 3 ft.----- | .25 | .22 |
| 3 to 4 ft.----- | .35 | .30 |

| | 10 Rate | 100 Rate |
|--|---------|----------|
| Rhus aromatica, | | |
| 2 to 3 ft.----- | .30 | .25 |
| 3 to 4 ft.----- | .35 | .30 |
| Rhus copallina, | | |
| 4 to 5 ft.----- | .35 | |
| Rhus cotinus, | | |
| 3 to 4 ft.----- | .60 | .50 |
| 4 to 5 ft.----- | .75 | .70 |
| Rhus glabra, | | |
| 5 to 6 ft.----- | .25 | |
| Rhus typhina, | | |
| 3 to 4 ft.----- | .20 | .18 |
| 4 to 5 ft.----- | .25 | .22 |
| Ribes alpinum, | | |
| 18 to 24 in.----- | .25 | |
| Robinia hispida, (Rosa acacia), | | |
| 2 to 3 ft.----- | .25 | .22 |
| 3 to 4 ft.----- | .30 | .25 |
| Robinia kelseyi, own root, | | |
| 4 to 5 ft.----- | .60 | .50 |
| Robinia slaveni, own root, | | |
| 10 to 12 ft.----- | 1.50 | |
| Rosa carolinensis, | | |
| 2 to 3 ft.----- | .25 | |
| 3 to 4 ft.----- | .30 | |
| Rosa hugonis, | | |
| 2 to 3 ft.----- | .40 | |
| 3 to 4 ft.----- | .50 | |
| Rosa nitida, | | |
| 4 to 5 ft.----- | .30 | |
| Rosa rubifolia, | | |
| 3 to 4 ft.----- | .30 | .25 |
| Rosa rugosa, (white & pink), | | |
| 2 to 3 ft.----- | .30 | |
| Roses, climbing American Beauty, | | |
| 2 yr. medium,----- | .20 | |
| Roses, climbing Dr. Huey, (own root), | | |
| 2 yr. medium,----- | .20 | |
| Roses, Climbing Pauls Scarlet, (own root), | | |
| 2 yr. medium,----- | .25 | |
| Shepherdia canadensis, | | |
| 4 to 5 ft.----- | .45 | |
| 5 to 6 ft.----- | .50 | |
| Sophora japonica, | | |
| 6 to 8 ft.----- | 3.00 | |
| Spiraea anthony watereri, | | |
| 12 to 15 in.----- | .20 | .18 |
| Spiraea arguta, | | |
| 2 to 3 ft.----- | .20 | .18 |
| 3 to 4 ft.----- | .25 | .22 |
| Spiraea billiardi rosea, | | |
| 2 to 3 ft.----- | .20 | .18 |
| 3 to 4 ft.----- | .25 | .22 |
| Spiraea douglasii, | | |
| 2 to 3 ft.----- | .25 | |
| Spiraea froebeli, | | |
| 15 to 18 in.----- | .15 | .12 |
| 18 to 24 in.----- | .18 | .15 |
| 2 to 2½ ft.----- | .20 | .18 |
| Spiraea prunifolia, | | |
| 2 to 3 ft.----- | .30 | .25 |
| 3 to 4 ft.----- | .35 | .30 |
| Spiraea thunbergi, | | |
| 2 to 3 ft.----- | .22 | .18 |
| Spiraea trichocarpa, | | |
| 2 to 3 ft.----- | .20 | .18 |
| 3 to 4 ft.----- | .25 | .22 |
| 4 to 5 ft.----- | .30 | .25 |
| Spiraea vanhouttei, | | |
| 18 to 24 in. (\$60.00 per M)----- | .10 | .08 |
| 2 to 3 ft.----- | .14 | .12 |

| Spirea vanhouttei (Cont.) | | 10 Rate | 100 Rate |
|---------------------------------|-------|---------|----------|
| 3 to 4 ft. | ----- | .15 | .14 |
| 4 to 5 ft. | ----- | .22 | .20 |
| Stephanandra flexuosa, | | | |
| 18 to 24 in. | ----- | .30 | |
| 2 to 3 ft. | ----- | .35 | |
| Symphoricarpos chenaulti, | | | |
| 2 to 3 ft. | ----- | .18 | .15 |
| 3 to 4 ft. | ----- | .22 | .20 |
| Symphoricarpos mollis, | | | |
| 2 to 3 ft. | ----- | .20 | .18 |
| Symphoricarpos racemosus, | | | |
| 2 to 3 ft. | ----- | .18 | .15 |
| 3 to 4 ft. | ----- | .22 | .20 |
| Symphoricarpos vulgaris, | | | |
| 2 to 3 ft. (\$90.00 per M) | ----- | .12 | .10 |
| 3 to 4 ft. | ----- | .15 | .12 |
| Tamarix africana, | | | |
| 2 to 3 ft. | ----- | .15 | .12 |
| 3 to 4 ft. | ----- | .18 | .15 |
| 4 to 5 ft. | ----- | .22 | .20 |
| Tamarix hispida, | | | |
| 3 to 4 ft. | ----- | .22 | |
| Viburnum americanum, | | | |
| 2 to 3 ft. | ----- | .35 | .30 |
| 3 to 4 ft. | ----- | .40 | |
| Viburnum andrewsi, | | | |
| 2 ft. | ----- | .45 | .40 |
| Viburnum burkwoodi, B&B, | | | |
| 12 to 15 in. | ----- | .90 | .75 |
| 15 to 18 in. | ----- | 1.00 | |
| 18 to 24 in. (\$1.50 each) | ----- | 1.25 | 1.00 |
| 2 to 3 ft. (\$1.75 each) | ----- | 1.50 | 1.25 |
| Viburnum carlesii, B&B, | | | |
| 12 to 15 in. | ----- | .90 | .75 |
| 18 to 24 in. | ----- | 1.25 | 1.00 |
| 2 to 3 ft. | ----- | 1.50 | |
| Viburnum cassinoides, | | | |
| 12 to 18 in. | ----- | .35 | |
| Viburnum dentatum, | | | |
| 18 to 24 in. | ----- | .20 | .18 |
| 2 to 3 ft. | ----- | .25 | .25 |
| 3 to 4 ft. | ----- | .28 | .22 |
| Viburnum dilitatum, | | | |
| 6 to 8 ft. | ----- | 1.50 | |
| Viburnum dwarf, yellow fruited, | | | |
| 2 to 3 ft. | ----- | .75 | |
| Viburnum Hahs, | | | |
| 2 to 3 ft. | ----- | .45 | .40 |
| Viburnum lantana, | | | |
| 18 to 24 in. | ----- | .20 | .18 |
| 2 to 3 ft. | ----- | .25 | .22 |
| 3 to 4 ft. | ----- | .35 | .30 |
| Viburnum lentago, | | | |
| 18 to 24 in. | ----- | .22 | .20 |
| 3 to 4 ft. | ----- | .50 | .45 |
| Viburnum molle, | | | |
| 18 to 24 in. | ----- | .20 | |
| 4 to 5 ft. | ----- | .45 | .40 |
| Viburnum opulus, | | | |
| 18 to 24 in. | ----- | .20 | .18 |
| 2 to 3 ft. | ----- | .30 | .25 |
| 3 to 4 ft. | ----- | .40 | .35 |
| 4 to 5 ft. | ----- | .50 | .40 |
| 5 to 6 ft. | ----- | .60 | |
| Viburnum opulus sterile, | | | |
| 2 to 3 ft. | ----- | .25 | .22 |
| 3 to 4 ft. | ----- | .35 | .30 |
| 4 to 5 ft. | ----- | .45 | .40 |
| 6 to 7 ft. | ----- | .50 | |

| | 10 Rate | 100 Rate |
|--------------------------------------|---------|----------|
| <i>Viburnum prunifolium</i> , | | |
| 18 to 24 in.----- | .35 | .30 |
| 2 to 3 ft.----- | .50 | .45 |
| 3 to 4 ft.----- | .60 | .50 |
| <i>Viburnum pubescens</i> , | | |
| 18 to 24 in.----- | .35 | .30 |
| 2 to 3 ft.----- | .45 | .40 |
| <i>Viburnum sieboldi</i> , | | |
| 12 to 18 in., bushy,----- | .30 | |
| 2 to 3 ft.----- | .50 | |
| <i>Viburnum rhytidophyllum</i> , | | |
| 3 to 4 ft.----- | 1.00 | |
| <i>Viburnum tomentosum</i> , | | |
| 2 to 3 ft.----- | .35 | |
| <i>Viburnum wentworth</i> , | | |
| 2 to 3 ft.----- | .45 | .40 |
| <i>Vitex macrrophylla</i> , | | |
| 2 to 3 ft.----- | .35 | .30 |
| <i>Weigela abel carriere</i> , | | |
| 2 to 3 ft.----- | .22 | .20 |
| 3 to 4 ft.----- | .25 | .22 |
| <i>Weigela eva rathke</i> , | | |
| 18 to 24 in.----- | .25 | .22 |
| 2 to 3 ft.----- | .35 | .30 |
| <i>Weigela floribunda</i> , | | |
| 2 to 3 ft.----- | .25 | .22 |
| 3 to 4 ft.----- | .30 | .25 |
| <i>Weigela florida venusta</i> , | | |
| 2 to 3 ft.----- | .30 | |
| 3 to 4 ft.----- | .35 | |
| <i>Weigela lutea</i> , | | |
| 2 to 3 ft.----- | .25 | |
| <i>Weigela rosea</i> , | | |
| 2 to 3 ft.---- (\$150.00 per M)----- | .20 | .18 |
| 3 to 4 ft.---- (\$200.00 per M)----- | .25 | .22 |
| <i>Weigela variegata</i> , | | |
| 2 to 3 ft.----- | .25 | |
| <i>Wisteria multijuga</i> , | | |
| 3 to 4 ft.----- | .75 | |

HEDGE

| | Per C | Per M |
|---|-------|--------|
| <i>Barberry thunbergi</i> , | | |
| 12 to 15 in.----- | 7.00 | 60.00 |
| 15 to 18 in.----- | 8.00 | 70.00 |
| 18 to 24 in.----- | 9.00 | 80.00 |
| 2 to 3 ft.----- | 15.00 | 120.00 |
| <i>Physocarpus monogynus</i> , (Dwarf Nine-bark), | | |
| 12 to 18 in.----- | 5.00 | 45.00 |
| 18 to 24 in.----- | 6.00 | 50.00 |
| <i>Privet</i> , amoor river north, | | |
| 18 to 24 in., 3 to 6 branch,----- | 6.00 | 50.00 |
| 18 to 24 in., 6 branch & up,----- | 8.00 | 70.00 |
| 2 to 3 ft., 3 to 6 branch,----- | 7.50 | 65.00 |
| 2 to 3 ft., 6 branch & up,----- | 10.00 | 90.00 |
| <i>Privet</i> , California, | | |
| 18 to 24 in.----- | 3.00 | 25.00 |
| 2 to 3 ft.----- | 4.00 | 35.00 |
| <i>Privet</i> , ibolium, | | |
| 18 to 24 in.----- | 6.50 | 55.00 |
| 2 to 3 ft.----- | 8.00 | 75.00 |

VINES

| | 10 Rate | 100 Rate | 1000 Rate |
|----------------------------------|---------|----------|-----------|
| <i>Ampelopsis quinquefolia</i> , | | | |
| 2 yr. No. 1,----- | .15 | | |
| <i>Ampelopsis veitchi</i> , | | | |
| 2 yr. medium,----- | .18 | .15 | |
| <i>Bignonia radicans</i> , | | | |
| 2 yr. No. 1,----- | .15 | .10 | |
| <i>Celastrus orbiculatus</i> , | | | |
| 2 yr. No. 1,----- | .20 | .12 | .10 |

| | 10 Rate | 100 Rate | 1000 Rate |
|--|------------|-------------|--------------|
| Celastrus scandens, (berrying), 4 yr. No. 1,----- | .25 | .18 | |
| Clematis, Henryi, Jackmani, Mme. Andre, Ramona, 2 yr. Pot grown,----- | .40 | | |
| Clematis, Henryi, Jackmani, Mme. Andre, Mme. B. Veillard, 2 yr. No. 1,----- | .40 | .35 | |
| Clematis Crimson King, 2 yr. No. 1,----- | .95 | | |
| Clematis Kermesina, 2 yr. No. 1,----- | .50 | | |
| Clematis paniculata, 2 yr. No. 1,----- | .20 | .15 | |
| Euonymus colorata, 1 yr. No. 1,----- | .12 | .10 | .07½ |
| 2 yr. No. 1,----- | .20 | .18 | .15 |
| Euonymus radicans, 2 yr. No. 1,----- | .25 | | |
| Euonymus radicans acutus, 15 to 18 in.----- | .30 | .25 | .20 |
| Euonymus radicans vegetus, 2 yr.----- | .30 | | |
| Lonicera heckrotti, (ever- blooming honeysuckle), 2 yr. No. 1,----- | .40 | .35 | |
| Lonicera japonica halliana, 2¼" pots, clumps,----- | .08 | .06 | .05 |
| 2 yr. No. 1, T,----- | .10 | .08 | .07½ |
| 5" cloverset pots,----- | .20 | .15 | |
| 4 yr. heavy clumps,----- | .25 | | |
| Lonicera sempervirens, 3 yr. No. 1,----- | .18 | .15 | |
| Lycium chinensis, 2 yr. No. 1,----- | .15 | .10 | |
| Rosa wichuriana, 2 yr. T, 2 to 3 ft.----- | .25 | .22 | |
| Wisteria chinensis, 4 yr. No. 1,----- | .35 | | |
| Wisteria, purple, grafted, 3 yr. No. 1,----- | .50 | | |
| Wisteria, white, grafted, 3 yr. No. 1,----- | .50 | | |

TREES

| | 10 Rate | 100 Rate |
|---|---------|----------|
| Ash, American white, 6 to 8 ft.----- | .90 | |
| 8 to 10 ft.----- | 1.25 | |
| 1¼ to 1½ in. caliper,----- | 1.75 | |
| 1½ to 2 in. caliper,----- | 2.00 | |
| 2 to 2½ in. caliper,----- | 2.25 | |
| 2½ to 3 in. caliper,----- | 3.50 | |
| Ash, european mountain, (Fruited plants 50% extra), 5 to 6 ft.----- | .90 | |
| 6 to 8 ft.----- | 1.35 | |
| 8 to 10 ft.----- | 1.50 | |
| 1½ to 2 in. caliper,----- | 2.00 | |
| 2 to 2½ in. caliper,----- | 2.50 | |
| Birch, american white, (B&B extra), 6 to 8 ft.----- | .90 | |
| 8 to 10 ft.----- | 1.25 | |
| 10 to 12 ft.----- | 1.50 | |
| Birch, cut leaf weeping, (B&B extra), 5 to 6 ft.----- | 1.25 | |
| 6 to 8 ft.----- | 1.70 | 1.25 |
| 8 to 10 ft.----- | 2.25 | 2.00 |
| Birch, european white, 6 to 8 ft.----- | 1.00 | |
| 8 to 10 ft.----- | 1.50 | |
| 10 to 12 ft.----- | 1.75 | |

| | 10 Rate | 100 Rate |
|---|---------|----------|
| <i>Carpinus caroliniana</i> , | | |
| 8 to 10 ft.----- | 3.00 | |
| 10 to 12 ft.----- | 3.50 | |
| <i>Celtis occidentalis</i> , | | |
| 4 to 5 ft.----- | .75 | |
| 5 to 6 ft.----- | 1.00 | .90 |
| 6 to 8 ft.----- | 1.50 | |
| <i>Cercis canadensis</i> , | | |
| 2 to 3 ft.----- | .40 | |
| 5 to 6 ft.----- | .90 | |
| 6 to 7 ft.----- | 1.25 | |
| Cherry, double flowering weeping, Serrulata and Subhirtella, | | |
| 5 to 7 ft. 2 yr. head,----- | 2.50 | |
| <i>Cornus florida</i> , B&B, | | |
| 2 to 3 ft.----- | .75 | |
| 3 to 4 ft.----- | 1.25 | 1.00 |
| 4 to 5 ft.----- | 1.50 | |
| <i>Corylus avellana</i> , | | |
| 3 to 4 ft.----- | .50 | |
| 5 to 6 ft.----- | .70 | |
| 8 to 10 ft.----- | .90 | |
| 10 to 12 ft.----- | 1.50 | |
| <i>Crataegus arnoldiana</i> , | | |
| 3 to 4 ft.----- | .90 | |
| <i>Crataegus carrierei</i> , | | |
| 2 to 3 ft.----- | .50 | |
| 3 to 4 ft.----- | .75 | |
| 4 to 5 ft.----- | .90 | |
| <i>Crataegus cordata</i> , (B&B extra), | | |
| 18 to 24 in.----- | .50 | |
| 2 to 3 ft.----- | .60 | .45 |
| 3 to 4 ft.----- | .75 | .70 |
| 4 to 5 ft.----- | 1.25 | 1.15 |
| 5 to 6 ft.----- | 1.50 | 1.25 |
| 6 to 7 ft.----- | 2.00 | 1.75 |
| <i>Crataegus crusgalli</i> , | | |
| 18 to 24 in.----- | .45 | |
| 2 to 3 ft.----- | .55 | |
| 3 to 4 ft.----- | 1.00 | |
| 4 to 5 ft.----- | 1.25 | |
| <i>Crataegus molle</i> , | | |
| 2 to 3 ft.----- | .60 | .50 |
| 3 to 4 ft.----- | .90 | .75 |
| 4 to 5 ft.----- | 1.25 | 1.15 |
| <i>Crataegus oxyacantha</i> , | | |
| 2 to 3 ft.----- | .30 | |
| 3 to 4 ft.----- | .40 | |
| <i>Crataegus oxyacantha paulei</i> , standards, | | |
| 3 to 4 ft.----- | .90 | |
| 4 to 5 ft.----- | 1.25 | |
| <i>Crataegus persistens</i> , | | |
| 3 to 4 ft.----- | .90 | |
| 4 to 5 ft.----- | 1.15 | |
| Elm, american, | | |
| 6 to 8 ft. (\$450.00 per M)----- | .60 | .50 |
| 8 to 10 ft.----- | .80 | .75 |
| 1¼ to 1½ in. caliper,----- | 1.00 | .90 |
| 1½ to 2 in. caliper,----- | 1.50 | 1.40 |
| 2 to 2½ in. caliper,----- | 2.00 | 1.80 |
| 2½ to 3 in. caliper,----- | 2.90 | 2.50 |
| 3 to 4 in. caliper,----- | 3.75 | |
| Elm, american vase, | | |
| 6 to 8 ft.----- | .80 | |
| 8 to 10 ft.----- | 1.10 | |
| 1¼ to 1½ in. caliper,----- | 1.25 | 1.15 |
| 1½ to 2 in. caliper,----- | 2.00 | 1.75 |
| 2 to 2½ in. caliper,----- | 2.75 | 2.50 |
| 2½ to 3 in. caliper,----- | 3.00 | |
| 3 to 4 in. caliper,----- | 4.50 | |

| Elm, chinese, | 10 Rate | 100 Rate |
|---|---------|----------|
| 6 to 8 ft.----- | .90 | |
| 8 to 10 ft.----- | 1.25 | |
| 1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in. caliper,----- | 1.50 | |
| 1 $\frac{1}{2}$ to 2 in. caliper,----- | 2.00 | |
| 2 to 2 $\frac{1}{2}$ in. caliper,----- | 2.50 | 2.25 |
| 2 $\frac{1}{2}$ to 3 in. caliper,----- | 3.25 | 3.00 |
| 3 to 3 $\frac{1}{2}$ in. caliper,----- | 4.25 | |
| 3 $\frac{1}{2}$ to 4 in. caliper,----- | 6.00 | |
| 4 to 5 in. caliper,----- | 7.50 | |
| 5 to 6 in. caliper,----- | 10.00 | |
| 6 to 8 in. caliper,----- | 12.50 | |
| (write for special quotations on larger sizes up to 12" caliper) | | |
| Elm, english, | | |
| 1 $\frac{3}{4}$ to 2 in. caliper,----- | 2.50 | |
| Elm, moline, | | |
| 6 to 8 ft.----- | .85 | .80 |
| 8 to 10 ft.----- | 1.00 | .90 |
| 1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in. caliper,----- | 1.25 | 1.00 |
| 1 $\frac{1}{2}$ to 2 in. caliper,----- | 1.90 | |
| 2 to 2 $\frac{1}{2}$ in. caliper,----- | 2.50 | 2.25 |
| 2 $\frac{1}{2}$ to 3 in. caliper,----- | 3.00 | 2.75 |
| 3 to 4 in. caliper,----- | 4.50 | |
| 4 to 5 in. caliper,----- | 6.00 | |
| Elm, wheatley, | | |
| 6 to 8 ft.----- | 2.00 | |
| 8 to 10 ft.----- | 2.50 | |
| Ginkgo biloba, | | |
| 6 to 8 ft.----- | 2.00 | |
| 8 to 10 ft.----- | 2.50 | |
| Gleditsia triacanthos, | | |
| 6 to 8 ft.----- | .75 | |
| 8 to 10 ft.----- | .90 | |
| 1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in. caliper,----- | 1.25 | |
| 1 $\frac{1}{2}$ to 2 in. caliper,----- | 2.25 | |
| 2 to 2 $\frac{1}{2}$ in. caliper,----- | 2.50 | |
| 2 $\frac{1}{2}$ to 3 in. caliper,----- | 3.00 | |
| 3 to 3 $\frac{1}{2}$ in. caliper,----- | 3.50 | |
| Gleditsia triacanthos inermis, | | |
| 5 to 6 ft.----- | 1.00 | |
| 6 to 8 ft.----- | 1.50 | |
| 8 to 10 ft.----- | 2.00 | |
| Gymnocladus dioica, (Kentucky Coffeetree), | | |
| 3 to 4 ft.----- | .75 | |
| Horsechestnut, double white flowering, | | |
| 6 to 8 ft.----- | 5.00 | |
| Horsechestnut, pink flowering, | | |
| 3 to 4 ft.----- | 2.00 | |
| 5 to 6 ft.----- | 4.50 | |
| Juglans sieboldiana, (Japanese Walnut), | | |
| 3 to 4 ft.----- | .50 | |
| 4 to 5 ft.----- | .75 | |
| Linden, american, | | |
| 6 to 8 ft.----- | .90 | .75 |
| 8 to 10 ft.----- | 1.25 | |
| Linden, european, | | |
| 3 to 4 ft.----- | .60 | |
| 4 to 5 ft.----- | .75 | |
| Linden, pyramidal, | | |
| 5 to 6 ft.----- | 1.50 | |
| Liquidambar styraciflua, (B&B extra), | | |
| 3 to 4 ft.----- | .75 | |
| 4 to 5 ft.----- | .90 | |
| 5 to 6 ft.----- | 1.15 | |
| 6 to 8 ft.----- | 2.00 | |
| Liriodendron tulipifera, | | |
| 3 to 4 ft.----- | .60 | |
| 5 to 6 ft.----- | .90 | |
| 6 to 8 ft.----- | 1.25 | |
| 8 to 10 ft.----- | 1.50 | |

| Liriodendron tulipifera, (Cont.) | | 10 Rate | 100 Rate |
|-------------------------------------|--|---------|----------|
| 2 to 2½ in. caliper,----- | | 2.50 | |
| 2½ to 3 in. caliper,----- | | 3.00 | |
| 3 to 3½ in. caliper,----- | | 4.00 | |
| 3½ to 4 in. caliper,----- | | 5.00 | |
| Malus aldenhamensis, | | | |
| 2 to 3 ft.----- | | .30 | |
| 3 to 4 ft.----- | | .50 | |
| 4 to 5 ft.----- | | .60 | |
| 5 to 6 ft.----- | | .90 | |
| 6 to 7 ft.----- | | 1.25 | |
| Malus baccata, | | | |
| 4 to 5 ft.----- | | .40 | |
| 5 to 6 ft.----- | | .50 | |
| 6 to 7 ft.----- | | .60 | |
| Malus floribunda, | | | |
| 2 to 3 ft.----- | | .30 | |
| 3 to 4 ft.----- | | .50 | |
| 4 to 5 ft.----- | | .70 | |
| 5 to 6 ft.----- | | 1.00 | |
| Malus georgeanus, | | | |
| 2 to 3 ft.----- | | .75 | |
| 3 to 4 ft.----- | | 1.00 | |
| 4 to 5 ft.----- | | 1.25 | |
| 5 to 6 ft.----- | | 1.50 | |
| Malus ioensis, | | | |
| 2 to 3 ft.----- | | .35 | |
| 3 to 4 ft.----- | | .55 | |
| 4 to 5 ft.----- | | .75 | |
| Malus ioensis bechteli, | | | |
| 2 to 3 ft.----- | | .60 | |
| Malus parkmani, | | | |
| 2 to 3 ft.----- | | .30 | |
| 3 to 4 ft.----- | | .50 | |
| Malus pumila paradissica ruberrima, | | | |
| 2 to 3 ft.----- | | .30 | |
| 3 to 4 ft.----- | | .40 | |
| 4 to 5 ft.----- | | .65 | |
| 5 to 6 ft.----- | | .75 | |
| 6 to 7 ft.----- | | .90 | |
| Malus sargentii, | | | |
| 2 to 3 ft.----- | | .60 | |
| 3 to 4 ft.----- | | .75 | |
| Malus scheideckeri, | | | |
| 2 to 3 ft. whips,----- | | .30 | |
| 2 to 3 ft.----- | | .50 | |
| 3 to 4 ft.----- | | .75 | |
| 4 to 5 ft.----- | | 1.00 | |
| 5 to 6 ft.----- | | 1.25 | |
| Malus silver red, | | | |
| 2 to 3 ft.----- | | .35 | |
| 3 to 4 ft.----- | | .75 | |
| 4 to 5 ft.----- | | .90 | |
| Malus spectabilis, | | | |
| 2 to 3 ft. whips,----- | | .30 | |
| 2 to 3 ft.----- | | .40 | |
| 3 to 4 ft.----- | | .60 | |
| Malus theifera, | | | |
| 2 to 3 ft. whips,----- | | .30 | |
| 2 to 3 ft.----- | | .40 | |
| 3 to 4 ft.----- | | .50 | |
| Malus toringoides, | | | |
| 4 to 5 ft.----- | | .75 | |
| 5 to 6 ft.----- | | 1.00 | |
| 6 to 7 ft.----- | | 1.25 | |
| Maple, amur, (Acer ginnala), | | | |
| 4 to 5 ft.----- | | .50 | .45 |
| 5 to 6 ft.----- | | .70 | .65 |
| Maple, japanese red, | | | |
| 2½ to 3 ft.----- | | 3.00 | |
| 3 to 4 ft.----- | | 4.00 | |

| | 10 Rate | 100 Rate |
|---|---------|----------|
| Maple, japanese cut leaf, green & red, B&B, 18 to 24 in.----- | 2.50 | |
| Maple, norway, slightly branched, 7 to 8 ft., $\frac{3}{4}$ to 1 in. caliper,-----(\$1.50 each),----- | 1.25 | 1.15 |
| Maple, pyramidal norway, 8 to 10 ft.----- | 1.85 | |
| Maple, red, 1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in. caliper,----- | 2.75 | |
| Maple, schwedleri, branched, 6 to 8 ft., $\frac{3}{4}$ in. caliper,----- | 1.75 | 1.50 |
| Maple, silver, 5 to 6 ft.----- | .40 | .35 |
| 6 to 8 ft.-----(\$400.00 per M)--- | .50 | .45 |
| 8 to 10 ft.-----(\$500.00 per M)--- | .75 | .60 |
| 10 to 12 ft.-----(\$750.00 per M)--- | .90 | .85 |
| 1 $\frac{1}{2}$ to 2 in. caliper,----- | 1.50 | 1.35 |
| 2 to 2 $\frac{1}{2}$ in. caliper,----- | 2.00 | |
| 2 $\frac{1}{2}$ to 3 in. caliper,----- | 2.25 | |
| 3 to 3 $\frac{1}{2}$ in. caliper,----- | 3.00 | |
| 3 $\frac{1}{2}$ to 4 in. caliper,----- | 4.00 | |
| 4 to 5 in. caliper,----- | 5.00 | |
| Maple, sugar, 6 to 8 ft.----- | 1.25 | 1.15 |
| 8 to 10 ft.----- | 1.75 | 1.50 |
| 1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in. caliper,----- | 2.00 | 1.75 |
| 2 to 2 $\frac{1}{2}$ in. caliper,----- | 3.00 | |
| 2 $\frac{1}{2}$ to 3 in. caliper,----- | 3.50 | |
| 3 to 3 $\frac{1}{2}$ in. caliper,----- | 5.00 | |
| 3 $\frac{1}{2}$ to 4 in. caliper,----- | 6.00 | |
| Maple, tartarian, 4 to 5 ft.----- | .75 | .60 |
| 5 to 6 ft.----- | .90 | .80 |
| Maple, wiers cut leaf, 5 to 6 ft.----- | .70 | |
| 6 to 8 ft.----- | .90 | |
| 8 to 10 ft.----- | 1.25 | |
| Oak, black, 6 to 8 ft.----- | 2.00 | 1.75 |
| 8 to 10 ft.----- | 2.50 | |
| 1 $\frac{1}{2}$ to 2 in. caliper,----- | 3.50 | |
| Oak, english, 6 to 8 ft.----- | 2.50 | |
| Oak, pin, 6 to 8 ft.----- | 1.40 | 1.25 |
| 8 to 10 ft.----- | 1.75 | |
| 1 $\frac{1}{2}$ to 2 in. caliper,----- | 2.75 | |
| 2 to 2 $\frac{1}{2}$ in. caliper,----- | 4.00 | |
| Oak, red, 6 to 8 ft.----- | 2.00 | |
| 8 to 10 ft.----- | 2.50 | |
| Oak, white, 6 to 8 ft.----- | 2.25 | |
| 1 $\frac{1}{2}$ to 2 in. caliper,----- | 3.00 | |
| Phellodendron amurense, (corktree), 3 to 4 ft.----- | .40 | |
| 4 to 5 ft.----- | .50 | |
| 5 to 6 ft.----- | .70 | |
| Poplar, bolleana, 6 to 8 ft.----- | .60 | .50 |
| 8 to 10 ft.----- | .75 | .65 |
| 10 to 12 ft.----- | .90 | .75 |
| Poplar, lombardy, 5 to 6 ft.----- | .25 | .20 |
| 6 to 8 ft.----- | .30 | .25 |
| 8 to 10 ft.----- | .45 | .40 |
| 10 to 12 ft.----- | .75 | |
| 12 to 15 ft.----- | 1.00 | |

| | 10 Rate | 100 Rate |
|------------------------------|---------|----------|
| Poplar, Richardi golden, | | |
| 4 to 5 ft.----- | .50 | |
| 5 to 6 ft.----- | .60 | |
| 6 to 8 ft.----- | .75 | |
| Prunus bleariana, | | |
| 5 to 6 ft.----- | .75 | |
| Prunus cistina, | | |
| 3 to 4 ft.----- | .40 | .35 |
| 4 to 5 ft.----- | .50 | .40 |
| Prunus pissiardi niger, | | |
| 3 to 4 ft.----- | .45 | .40 |
| 4 to 5 ft.----- | .50 | .45 |
| 5 to 6 ft.----- | .60 | .50 |
| Prunus triloba, | | |
| 2 to 3 ft.----- | .40 | .35 |
| 3 to 4 ft.----- | .50 | .45 |
| 4 to 5 ft.----- | .60 | |
| Ptelea trifoliata, | | |
| 4 to 5 ft.----- | .25 | .20 |
| 5 to 6 ft.----- | .30 | .25 |
| 6 to 7 ft.----- | .45 | .40 |
| Robinia slaveni, (own root), | | |
| 10 to 12 ft.----- | 1.50 | |
| Sophora japonica, | | |
| 6 to 8 ft.----- | 3.00 | |
| Sycamore, american, | | |
| 6 to 8 ft.----- | 1.00 | .75 |
| 8 to 10 ft.----- | 1.50 | 1.25 |
| 1½ to 2 in. caliper,----- | 2.00 | |
| 2 to 2½ in. caliper,----- | 2.50 | |
| 2½ to 3 in. caliper,----- | 3.00 | |
| Willow, babylonica, | | |
| 3 to 4 ft.----- | .30 | |
| 4 to 5 ft.----- | .40 | |
| 5 to 6 ft.----- | .50 | |
| Willow, elegantissima, | | |
| 4 to 5 ft.----- | .30 | |
| 5 to 6 ft.----- | .50 | |
| 6 to 8 ft.----- | .75 | |
| Willow, laurel leaf, | | |
| 2 to 3 ft.----- | .20 | |
| Willow, regal, | | |
| 2 to 3 ft.----- | .30 | |
| Willow, rosemary, | | |
| 18 to 24 in.----- | .25 | |

TRANSPLANTED FIELD GROWN EVERGREENS B & B

| | 10 Rate | 100 Rate |
|-----------------------------------|---------|----------|
| Abies concolor, | | |
| 18 to 24 in.----- | 1.50 | |
| 2 to 3 ft.----- | 1.75 | |
| 3 to 4 ft.----- | 2.50 | |
| 4 to 5 ft.----- | 3.25 | 3.00 |
| 5 to 6 ft.----- | 4.50 | 4.25 |
| 6 to 7 ft.----- | 5.50 | 5.00 |
| 7 to 8 ft.----- | 6.00 | |
| Abies nordmanniana, | | |
| 18 to 24 in.----- | 1.25 | |
| Arborvitae americana, | | |
| 5 to 6 ft.----- | 1.50 | |
| 6 to 7 ft.----- | 2.00 | |
| 7 to 8 ft.----- | 2.25 | |
| 8 to 10 ft.----- | 2.75 | |
| 10 to 12 ft.----- | 3.50 | |
| Arborvitae americana, dark green, | | |
| 18 to 24 in.----- | 1.00 | |
| 2 to 2½ ft.----- | 1.25 | |
| Arborvitae columbiana, | | |
| 4 to 5 ft.----- | 2.25 | |
| 5 to 6 ft.----- | 2.50 | |

| Arborvitae elegantissima, | 10 Rate | 100 Rate |
|---|---------|----------|
| 3 ft.----- | 1.50 | |
| 3½ to 4 ft.----- | 1.75 | |
| 8 to 9 ft.----- | 5.00 | |
| 10 to 12 ft.----- | 6.00 | |
| Arborvitae George Peabody, sheared, | | |
| 5 to 6 ft.----- | 2.50 | |
| 6 to 8 ft.----- | 3.00 | |
| 8 to 10 ft.----- | 4.00 | |
| 10 to 12 ft.----- | 5.00 | |
| Arborvitae little gem, | | |
| 12 to 15 in.----- | 1.00 | |
| 15 to 18 in.----- | 1.25 | |
| Arborvitae pyramidalis, | | |
| 18 to 24 in.----- | 1.25 | 1.00 |
| 2 to 3 ft.----- | 1.75 | 1.50 |
| 3 to 4 ft.----- | 2.25 | |
| 8 to 12 ft.----- | 7.50 | |
| Arborvitae rosenthali, | | |
| 4 to 5 ft.----- | 3.50 | |
| Arborvitae spirellis, | | |
| 6 to 7 ft.----- | 3.00 | |
| 7 to 8 ft.----- | 4.00 | |
| 12 to 15 ft.----- | 9.00 | |
| Arborvitae vervaeneana, | | |
| 6 to 7 ft.----- | 1.50 | |
| 7 to 8 ft.----- | 2.00 | |
| Arborvitae wareana, | | |
| 15 to 18 in.----- | .90 | |
| Arborvitae wareana alba, | | |
| 3 to 4 ft.----- | 1.75 | |
| 5 to 6 ft.----- | 2.00 | |
| Arborvitae woodwardi globe, | | |
| 12 to 15 in.----- | .90 | .75 |
| 15 to 18 in.----- | 1.00 | .90 |
| Biota aurea nana, | | |
| 12 to 15 in.----- | .90 | .80 |
| 15 to 18 in.----- | 1.50 | 1.25 |
| 18 to 24 in. light,----- | 1.75 | 1.60 |
| 18 to 24 in.----- | 1.90 | 1.75 |
| 2 to 2½ ft.----- | 2.50 | |
| 4 to 4½ ft.----- | 4.00 | |
| Biota Burtoni, | | |
| A new blue-green type of pyramidal Biota which has proven perfectly hardy when others were injured during the past twenty years. It does not bronze up in the winter. | | |
| 2 to 2½ ft.----- | 1.75 | 1.50 |
| 2½ to 3 ft.----- | 2.00 | 1.75 |
| 3 to 3½ ft.----- | 2.50 | 2.25 |
| 3½ to 4 ft.----- | 3.00 | 2.75 |
| 4 to 4½ ft.----- | 3.50 | 3.00 |
| Biota compacta, | | |
| 15 to 18 in.----- | .80 | .75 |
| 18 to 24 in.----- | 1.25 | 1.10 |
| 2 to 2½ ft.----- | 1.75 | 1.50 |
| 4 to 4½ ft.----- | 4.00 | |
| 5 ft.----- | 4.50 | |
| Biota conspicta aurea, | | |
| 3 to 4 ft.----- | 1.75 | |
| 5 to 6 ft.----- | 3.00 | |
| 7 to 9 ft.----- | 6.00 | |
| Biota elegantissima, | | |
| 3 to 4 ft.----- | 2.50 | |
| 5 to 6 ft.----- | 4.50 | |
| Biota pyramidalis, | | |
| 18 to 24 in.----- | .95 | .80 |
| 2 to 3 ft.----- | 1.75 | 1.50 |
| 3 to 4 ft.----- | 2.25 | 2.00 |

| | | 10 Rate | 100 Rate |
|--|-------|---------|----------|
| <i>Chamaecyparis lawsoniana</i> , | | | |
| 6 to 7 ft. | ----- | 4.50 | |
| 7 to 9 ft. | ----- | 6.00 | |
| <i>Chamaecyparis nootkatensis glauca</i> , | | | |
| 18 to 24 in. | ----- | 1.50 | |
| 3 ft. | ----- | 2.25 | |
| <i>Hemlock, canadensis</i> , | | | |
| 2½ to 3 ft. | ----- | 2.50 | |
| 3 to 4 ft. | ----- | 3.50 | |
| 4 to 5 ft. | ----- | 4.50 | |
| <i>Juniperus andorra</i> , | | | |
| 15 to 18 in. | ----- | 1.15 | 1.00 |
| 18 to 24 in. | ----- | 1.25 | |
| 2 to 3 ft. | ----- | 1.50 | |
| 3 to 3½ ft. | ----- | 2.25 | |
| <i>Juniperus Bar Harbor</i> , | | | |
| 3 to 3½ ft. | ----- | 2.50 | |
| <i>Juniperus chinensis</i> , | | | |
| 2 to 3 ft. | ----- | 1.25 | 1.00 |
| 3 to 4 ft. | ----- | 1.75 | 1.50 |
| 10 to 12 ft. | ----- | 7.50 | |
| <i>Juniperus chinensis columnaris</i> , | | | |
| 2 to 3 ft. | ----- | 1.75 | |
| 3 to 4 ft. | ----- | 2.25 | |
| 5 to 6 ft. | ----- | 5.00 | |
| <i>Juniperus communis</i> , | | | |
| A low spreading saucer shaped variety. | | | |
| 18 to 24 in. | ----- | 1.00 | |
| 2 to 3 ft. | ----- | 1.50 | |
| 6 to 7 ft. | ----- | 3.00 | |
| <i>Juniperus communis</i> , | | | |
| Semi-upright saucer shaped. | | | |
| 15 to 18 in. | ----- | 1.00 | |
| 18 to 24 in. | ----- | 1.25 | |
| <i>Juniperus communis english</i> , | | | |
| 18 to 24 in. | ----- | .90 | |
| <i>Juniperus communis pendula</i> , | | | |
| 18 to 24 in. | ----- | 1.00 | |
| <i>Juniperus communis vase, (upright type)</i> , | | | |
| 18 to 24 in. | ----- | 1.50 | |
| 2 to 2½ ft. | ----- | 1.75 | |
| 2½ to 3 ft. | ----- | 2.00 | |
| <i>Juniperus conferta</i> , | | | |
| 18 to 24 in. | ----- | 1.75 | |
| <i>Juniperus cracovica</i> , | | | |
| 2 to 3 ft. | ----- | 1.25 | |
| 3 to 3½ ft. | ----- | 1.75 | |
| <i>Juniperus excelsa stricta</i> , | | | |
| 15 to 18 in. | ----- | 1.25 | 1.15 |
| 18 to 24 in. | ----- | 1.75 | |
| 2 to 2½ ft. | ----- | 2.25 | |
| 6 ft. | ----- | 5.00 | |
| 7 ft. | ----- | 6.00 | |
| 8 ft. | ----- | 7.00 | |
| <i>Juniperus femina</i> , | | | |
| 2 to 3 ft. | ----- | 1.75 | |
| 3 to 3½ ft. | ----- | 2.25 | |
| 3½ to 4 ft. | ----- | 2.75 | |
| 4 to 5 ft. | ----- | 3.00 | |
| <i>Juniperus neaboriensis</i> , | | | |
| 2 to 3 ft. | ----- | 1.75 | |
| 5 to 6 ft. | ----- | 4.50 | |
| 10 to 12 ft. | ----- | 10.50 | |
| <i>Juniperus pfitzeriana</i> , | | | |
| 15 to 18 in. | ----- | 1.50 | |
| 18 to 24 in. | ----- | 2.00 | 1.75 |
| 2 to 2½ ft. | ----- | 2.50 | |
| 2½ to 3 ft. | ----- | 3.00 | |
| <i>Juniperus pfitzeriana, staked</i> , | | | |
| 18 to 24 in. | ----- | 2.00 | |
| 2 to 3 ft. | ----- | 3.00 | |

| | 10 Rate | 100 Rate |
|--|---------|----------|
| Juniperus procumbens, | | |
| 15 to 18 in..... | 1.25 | |
| 18 to 24 in..... | 1.75 | |
| 3 to 4 ft..... | 2.50 | |
| Juniperus procumbens dwarf, | | |
| 15 to 18 in..... | 3.00 | |
| Juniperus sabina, | | |
| 15 to 18 in..... | 1.25 | |
| 18 to 24 in..... | 1.75 | 1.50 |
| 2 to 3 ft..... | 2.25 | |
| Juniperus sabina von ehron, | | |
| 18 to 24 in..... | 1.50 | |
| 2 to 2½ ft..... | 1.75 | |
| 3 to 3½ ft..... | 2.50 | |
| 4 to 5 ft..... | 3.00 | |
| Juniperus scopulorum, bright blue, | | |
| 18 to 24 in..... | .90 | |
| 2 to 3 ft..... | 1.50 | |
| Juniperus scopulorum North Star, | | |
| 3 to 4 ft..... | 2.00 | |
| Juniperus scopulorum silver queen, | | |
| 2 to 3 ft..... | 1.75 | |
| 3 to 4 ft..... | 2.00 | |
| Juniperus squamata variegata, | | |
| 18 to 24 in..... | 2.00 | |
| Juniperus sweedish, | | |
| 18 to 24 in..... | 1.00 | |
| 2 to 3 ft..... | 1.50 | |
| Juniperus virginiana, | | |
| 2 to 3 ft..... | 1.50 | |
| 3 to 3½ ft..... | 1.75 | |
| 3½ to 4 ft..... | 2.25 | |
| 4 to 5 ft..... | 2.75 | |
| Juniperus virginiana burkei, | | |
| 18 to 24 in..... | 1.25 | |
| 2 to 3 ft..... | 2.00 | |
| 3 to 3½ ft..... | 2.75 | |
| 4½ to 5 ft..... | 4.00 | |
| 5 to 5½ ft..... | 4.50 | |
| Juniperus virginiana cannarti, | | |
| 2 to 3 ft..... | 2.00 | |
| 3 to 4 ft., light..... | 3.00 | |
| 3 to 4 ft., sheared..... | 4.00 | |
| 4 to 4½ ft..... | 4.50 | |
| Juniperus virginiana dundee, | | |
| 18 to 24 in..... | 1.75 | |
| 2 to 3 ft..... | 2.25 | |
| 3 to 4 ft..... | 3.00 | |
| 4 to 5 ft..... | 3.75 | |
| 5 to 5½ ft..... | 4.75 | |
| Juniperus virginiana elegantissima lee, | | |
| 18 to 24 in..... | 1.00 | |
| Juniperus virginiana glauca, | | |
| 2 to 3 ft..... | 1.75 | |
| 4 to 5 ft..... | 4.00 | |
| 7 to 8 ft..... | 5.00 | |
| 12 to 15 ft..... | 20.00 | |
| Juniperus virginiana globosa, | | |
| 18 to 24 in..... | 3.25 | |
| Juniperus virginiana kettleri, | | |
| 2 to 3 ft..... | 1.50 | |
| 3 to 3½ ft..... | 2.25 | |
| 3½ to 4 ft..... | 3.00 | |
| 4 to 4½ ft..... | 4.00 | |
| 7 to 7½ ft..... | 5.00 | |
| 8 to 9 ft..... | 7.00 | |
| 12 to 15 ft..... | 9.00 | |

| | 10 Rate | 100 Rate |
|---|---------|----------|
| <i>Juniperus virginiana kosteriana</i> , | | |
| 12 to 18 in. | 1.00 | |
| 18 to 24 in. | 1.75 | |
| 2 to 2½ ft. | 2.25 | |
| 2½ to 3 ft. | 3.00 | |
| <i>Juniperus virginiana pendula</i> , | | |
| 2 to 3 ft. | 1.50 | |
| 5 to 6 ft. | 3.75 | |
| 6 to 8 ft. | 4.75 | |
| 8 to 9 ft. | 6.00 | |
| <i>Juniperus virginiana pyramidalis</i> , | | |
| 2 to 2½ ft. | 1.75 | |
| 3 to 4 ft. | 3.25 | |
| <i>Juniperus waukegan</i> , | | |
| 12 to 18 in. | 1.00 | |
| 18 to 24 in. | 1.75 | |
| <i>Larix leptolepis</i> , | | |
| 4 ft. | 2.25 | |
| <i>Mahonia aquifolia</i> , | | |
| 15 in. | 1.00 | |
| <i>Pinus montana mughus</i> , | | |
| 12 to 15 in. | 1.50 | 1.25 |
| 15 to 18 in. | 1.60 | 1.50 |
| 18 to 24 in. | 2.00 | 1.75 |
| 2½ to 3 ft. | 4.00 | |
| <i>Pinus nigra</i> , | | |
| 6 to 8 ft. | 6.00 | |
| 8 to 10 ft. | 8.00 | |
| 10 to 15 ft. | 12.00 | |
| <i>Pinus resinosa</i> , | | |
| 2 to 2½ ft. | 1.00 | |
| 4 to 5 ft. | 2.50 | |
| 8 to 9 ft. | 6.00 | |
| 10 to 15 ft. | 8.00 | |
| <i>Pinus strobus</i> , | | |
| 18 to 24 in. | 1.00 | |
| 2 to 3 ft. | 1.50 | |
| <i>Pinus tabulaeformis</i> , | | |
| 2½ to 3 ft. | 2.75 | |
| <i>Pseudotsuga douglasi</i> , | | |
| 18 to 24 in. | 1.00 | |
| 2 to 3 ft. | 1.50 | |
| 3 to 4 ft. | 2.75 | |
| 5 to 6 ft. | 4.00 | |
| <i>Retinospora filifera</i> , | | |
| 15 to 18 in. | .90 | |
| 2 to 3 ft. | 1.50 | |
| 3 to 4 ft. | 1.75 | |
| 4 to 5 ft. | 2.50 | |
| <i>Retinospora filifera aurea</i> , | | |
| 18 to 24 in. | 2.50 | |
| <i>Retinospora plumosa</i> , | | |
| 3 to 4 ft. | 1.75 | |
| 4 to 5 ft. | 2.00 | |
| <i>Retinospora plumosa aurea</i> , | | |
| 2 to 3 ft. | 1.50 | |
| 3 to 4 ft. | 1.75 | |
| 4 to 5 ft. | 2.00 | |
| 6 to 7 ft. | 3.50 | |
| 7 to 8 ft. | 4.00 | |
| 8 to 9 ft. | 4.50 | |
| <i>Spruce, Black Hill</i> , | | |
| 18 to 24 in. | 1.50 | |
| 2 to 3 ft. | 1.75 | |
| 4 to 5 ft. | 2.50 | |
| 6 to 7 ft. | 5.00 | |
| 12 to 15 ft. | 50.00 | |
| <i>Spruce, Colorado blue</i> , | | |
| 18 to 24 in. | 1.50 | |
| 4 to 5 ft. | 4.50 | |
| 6 to 8 ft. | 7.00 | |

| | | |
|--|---------|----------|
| Spruce, Colorado green, 18 to 24 in.----- | 10 Rate | 100 Rate |
| | 1.00 | |
| Spruce, Koster's, 18 to 24 in.----- | 2.75 | |
| 2 to 2½ ft.----- | 3.50 | |
| 2½ to 3 ft.----- | 4.50 | |
| 3 to 3½ ft.----- | 5.00 | |
| Spruce, morheimeii, 2½ to 3 ft.----- | 5.00 | |
| 3 to 3½ ft.----- | 6.00 | |
| Spruce, serbian, 18 to 24 in.----- | 2.25 | |
| 4 to 4½ ft.----- | 5.00 | |
| Taxus cuspidata, 18 to 24 in.----- | 2.75 | |
| 2 to 2½ ft.----- | 3.50 | |
| 2½ to 3 ft.----- | 4.50 | |
| Taxus cuspidata capitata, 2½ to 3 ft.----- | 4.00 | |
| Taxus cuspidata intermedia, 10 to 12 in.----- | 1.75 | |
| 15 to 18 in.----- | 2.00 | |
| 18 to 24 in.----- | 3.00 | |
| Taxus Hunnewelliana, 15 to 18 in.----- | 2.25 | |
| Taxus media hatfieldi, spreading, 18 to 24 in.----- | 3.00 | |
| 2 to 2½ ft.----- | 3.50 | |
| Taxus media hatfieldi, upright, 18 to 24 in.----- | 3.00 | |
| Taxus media hicksii, 15 to 18 in. light,----- | 1.50 | |
| 18 to 24 in.----- | 2.25 | |
| 3 to 4 ft.----- | 4.75 | |

FRUIT TREES

APPLES

| | 10 Rate | 100 Rate | 1000 Rate |
|--|------------|-------------|--------------|
| 11/16" and up, 5 to 7 ft.,----- | .30 | .25 | .20 |
| 9/16" to 11/16", 4 to 5 ft.,----- | .25 | .20 | .18 |
| 7/16" to 9/16", 3 to 4 ft.,----- | .20 | .15 | .12 |
| XX 1" and up, 3 yr. tops,----- | .40 | .35 | |
| (Baldwin, Red Delicious, Dutch- ess, Gallia Beauty, Grimes Gold- en, Jonathon, Lodi, Red McIn- tosh, Maiden Blush, Northern Spy, Summer Rambo, Winter Rambo, Rome Beauty, Black Stayman, Wealthy, Golden Winesap, Stayman Winesap, Turley Winesap, Winter Bana- na, Yellow Transparent, York Imperial) | | | |

APRICOTS

| | |
|-----------------------|-----|
| 11/16" and up,----- | .50 |
| 9/16" to 11/16",----- | .45 |
| (Hungarian on Plum) | |

CHERRY (SOUR)

| | | | |
|-------------------------------|-----|-----|-----|
| 11/16" and up,----- | .40 | .35 | .30 |
| 9/16" to 11/16",----- | .35 | .30 | .25 |
| 7/16" to 9/16",----- | .30 | .25 | |
| XX 1" and up,----- | .50 | | |
| (Early Richmond, Montmorency) | | | |

CHERRY (SWEET)

| | 10 Rate | 100 Rate | 1000 Rate |
|------------------------------|------------|-------------|--------------|
| 11/16'' and up,----- | .50 | .45 | |
| 9/16'' to 11/16'',----- | .45 | .40 | |
| XX 1'' and up,----- | .55 | | |
| (Black Tartarian, Gov. Wood) | | | |

PEACH

| | | | |
|--|-----|-----|-----|
| 9/16'' to 11/16''----- | .20 | .16 | .14 |
| 7/16'' to 9/16''----- | .15 | .12 | .10 |
| 5/16'' to 7/16'',----- | .10 | .08 | .06 |
| Whips,----- | .05 | | |
| XX 11/16'' and up,----- | .25 | .22 | |
| (Champion, Crawford Late, Diamond Cling, Elberta, Golden Jubilee, J. H. Hale, Hale Haven, Nectarine, Oriole, Rochester, South Haven, Vedette) | | | |

PEAR

| | | | |
|--|-----|-----|-----|
| 11/16'' and up,----- | .30 | .28 | .25 |
| 9/16'' to 11/16'',----- | .25 | .22 | |
| 7/16'' to 9/16'',----- | .20 | .15 | |
| (Bartlett, Burre Bosc, Dutchess, Flemish Beauty, Kieffer, Maxine, Seckle, Sheldon) | | | |

PLUM

| | | | |
|---|-----|-----|--|
| 11/16'' and up,----- | .35 | .32 | |
| 9/16'' to 11/16'',----- | .30 | .28 | |
| XX 1'' and up,----- | .50 | | |
| (Abundance, Bradshaw, Burbank, Green Gage, Italian Prune, Lombard, Shrop Damson, Stanley Prune) | | | |

QUINCE

| | | | |
|---|-----|-----|-----|
| 5/8'' and up, 2 yr.,----- | .40 | .35 | .30 |
| 1/2'' to 5/8'', 2 yr.,----- | .32 | .30 | |
| XX 1'' and up, fruiting grade, 3 yr.,----- | .55 | .50 | |
| (Orange) | | | |

Per C Per M

| | | |
|-----------------------------------|------|-------|
| ASPARAGUS: Washington, 2 yr., --- | 1.50 | 10.00 |
|-----------------------------------|------|-------|

| | | |
|---|------|-------|
| BLACKBERRIES: Eldorado, (These are of the original true strain),-- | 2.50 | 20.00 |
|---|------|-------|

RASPBERRIES:

| | | |
|-----------------------------|------|-------|
| Cumberland, (black),----- | 1.75 | 15.00 |
| New Logan, (Black),----- | 2.00 | 16.00 |
| Latham, Taylor, (red),----- | 4.00 | 30.00 |

Per 10 Per 100

CURRANTS:

| | | |
|------------------------------------|------|-------|
| Cherry, Perfection, 3 yr. No. 1,-- | 1.00 | 8.00 |
| Red Lake, 2 yr. No. 1,----- | 2.00 | 15.00 |
| 5 yr. No. 1, bearing,----- | 2.00 | 15.00 |

GOOSEBERRIES:

| | | |
|----------------------------|------|-------|
| Downing, 2 yr. No. 1,----- | 1.50 | 10.00 |
| Como, 3 yr. No. 1,----- | 3.00 | 25.00 |

| GRAPES: | Per 10 | Per 100 |
|---|--------|---------|
| Concord, 2 yr. No. 1,----- | .60 | 5.00 |
| Agawam, Catawba, Delaware, Moores Early, Niagara, Worden, 2 yr. No. 1,----- | 1.00 | 9.00 |
| Caco, Fredonia, Ontario, Port- land, Sheridan, 2 yr. No. 1,----- | 2.00 | 15.00 |
| RHUBARB: | | |
| Myatt's Linnaeus, 2 yr. No. 1,-- | .75 | 6.00 |

SURPLUS PERENNIALS

| TRANSPLANTED | Each | Per C |
|--|------|-------|
| Daphne cneorum, 6/10" T -----(\$70.00 per M)--- | .10 | 7.50 |
| GYPSOPHILA Bristol Fairy, Pot grown,----- | .10 | 9.00 |
| 2 yr. Transplants,----- | .20 | 15.00 |
| Pachysandra terminalis, Pot grown,-----(\$55.00 per M)--- | .08 | 6.00 |
| 1 yr. transplants, (\$40.00 per M)--- | .06 | 4.50 |
| 2 yr. transplants, (\$45.00 per M)--- | .08 | 5.50 |
| Sedum, Spectabilis,----- | .04 | |
| Vinca boles,----- | .07 | |
| Vinca minor, 12 to 15 leads,----- | .03 | 2.00 |
| Transplants,----- | .05 | 4.00 |
| Vinca minor rubra,----- | .10 | |

BOXING CHARGE

New Boxes Paper Lined:

| | |
|----------------------|------|
| 24" x 24" x 6'----- | 3.00 |
| 24" x 24" x 10'----- | 3.50 |
| 24" x 24" x 12'----- | 3.75 |
| 30" x 30" x 6'----- | 3.25 |
| 30" x 30" x 10'----- | 4.00 |
| 30" x 30" x 12'----- | 4.50 |

Smaller boxes, bales and used boxes charged for at proportionate prices and at cost.

TESTIMONIAL

(Here is one of many testimonials we receive from our customers)

Hilltop Nursery
Casstown, Ohio
Gentlemen:

The nursery stock you shipped us was the finest we have ever received from anybody anywhere.
You will get a good order this coming year from us.

Very truly yours,

(Name upon request)

GLOBE BARBERRY

(Plant Patent No. 189)

(*Berberis thunbergi nana*)

See Prof. Chadwick's Select List of Shrubs



Ordinary Barberry



Berberis nana
(Natural Shape)

This is a low, slow growing and compact sport of the well known hardy Barberry. It's compact, tight growth makes a trim appearance without shearing. This plant never gets out of hand as do common Barberry plants and the foliage is better than that of the parent and it has the same kind and color fruits. Its appearance is somewhat like that of a dwarf Holly or Azalea. It is undoubtedly the best permanently dwarf deciduous plant for low hedges and borders because of its dwarfness, hardiness and general permanence.

This is the first time this plant has been offered for sale. Due to its slow growth the purchaser is assured of maintenance of the present price schedule. It is suggested that as large sizes cannot well be shipped these grades be planted out for growth on as specimens.

WHOLESALE PRICES

| | 10 Rate | 100 Rate | 1000 Rate |
|------------------|---------|----------|-----------|
| 4 to 6 in.----- | .30 | .25 | .20 |
| 6 to 9 in.----- | .35 | .30 | .25 |
| 9 to 12 in.----- | .45 | .40 | .35 |

MINIMUM RETAIL PRICES

| | Each | Dozen | Per C |
|------------------|------|-------|-------|
| 4 to 6 in.----- | .60 | 6.00 | 45.00 |
| 6 to 9 in.----- | .75 | 7.50 | 55.00 |
| 9 to 12 in.----- | 1.00 | 10.00 | 70.00 |